

UCS 5.0 Release Notes



**Release Notes für die Inbetriebnahme und Aktualisierung
von Univention Corporate Server (UCS) 5.0-1**

Alle Rechte vorbehalten. / All rights reserved.

(c) 2002-2021 Univention GmbH

Mary-Somerville-Straße 1, 28359 Bremen, Deutschland/Germany

<feedback@univention.de>

Jede aufgeführte Marke und jedes Warenzeichen steht im Eigentum ihrer jeweiligen eingetragenen Rechtsinhaber. Linux ist ein eingetragenes Warenzeichen von Linus Torvalds.

The mentioned brand names and registered trademarks are owned by the respective legal owners in each case. Linux is a registered trademark of Linus Torvalds.

Inhaltsverzeichnis

1. Release-Highlights	5
2. Hinweise zum Update	6
2.1. Empfohlene Update-Reihenfolge	6
2.2. UCS nur noch als 64-Bit-Variante	6
3. Gleichzeitiger Betrieb von UCS und Debian auf UEFI Systemen	7
4. Lokales Repository	8
5. Vorbereitung des Updates	9
6. Nachbereitung des Updates	10
7. Hinweise zum Einsatz einzelner Pakete	11
7.1. Erfassung von Nutzungsstatistiken	11
7.2. Empfohlene Browser für den Zugriff auf Univention Management Console	11
8. Changelog	12
8.1. General	12
8.2. Basic system services	14
8.2.1. Univention Configuration Registry	14
8.2.1.1. Changes to templates and modules	15
8.3. Domain services	15
8.3.1. OpenLDAP	15
8.3.1.1. Listener/Notifier domain replication	15
8.3.2. DNS server	15
8.4. Univention Management Console	16
8.4.1. Univention Management Console web interface	16
8.4.2. Univention Portal	16
8.4.3. Univention Management Console server	17
8.4.4. Univention App Center	18
8.4.5. Univention Directory Manager UMC modules and command line interface	19
8.4.6. Modules for system settings / setup wizard	19
8.4.7. Software update module	20
8.4.8. Domain join module	20
8.4.9. License module	20
8.4.10. System diagnostic module	20
8.4.11. Process overview module	20
8.4.12. Policies	20
8.4.13. Filesystem quota module	20
8.4.14. Univention Configuration Registry module	20
8.4.15. Other modules	20
8.5. Univention base libraries	21
8.6. Software deployment	21
8.6.1. Software monitor	21
8.7. System services	22
8.7.1. SAML	22
8.7.2. Univention self service	22
8.7.3. Dovecot	22
8.7.4. Postfix	22
8.7.5. Printing services	22
8.7.6. Nagios	22
8.7.7. Apache	22
8.7.8. RADIUS	22
8.7.9. Proxy services	23
8.7.10. SSL	23
8.7.11. DHCP server	23
8.7.12. Other services	23

8.8. Services for Windows	23
8.8.1. Samba	23
8.8.2. Univention AD Takeover	23
8.8.3. Univention S4 connector	23
8.8.4. Univention Active Directory Connection	24
8.9. Other changes	24
Literaturverzeichnis	25

Kapitel 1. Release-Highlights


Mit Univention Corporate Server 5.0-1 steht das erste Point-Release für Univention Corporate Server (UCS) 5.0 zur Verfügung. Es umfasst Funktionserweiterungen und Verbesserungen, neue Eigenschaften sowie diverse Detailverbesserungen und Fehlerkorrekturen. Die wichtigsten Änderungen im Überblick:

- UCS 5 Design im hellen *Theme*. Wie zum Release von UCS 5.0-0 angekündigt, gibt es neben dem *Dark Theme* auch ein *Light Theme* für UCS 5.0. Nutzer des UCS Managementsystems können damit zwischen den beiden *Themes* umschalten.
- Zeitgesteuerte Aktivierung von Benutzerkonten. UCS Administratoren können Benutzerkonten anlegen und mit Datum und Uhrzeit definieren, wann sie aktiviert werden. Das Anlegen von Benutzerkonten kann somit besser geplant werden und im Voraus erfolgen, ohne dass die Benutzerkonten gleich aktiv sind.
- Zahlreiche Verbesserungen am UCS Portal. Nutzer des UCS Portals können sich an zahlreichen Verbesserungen erfreuen. Nennenswert sind hier:
 - Verbesserungen bei der Barrierefreiheit des Portals, zum Beispiel bei der Bedienung mit der Tastatur
 - Verbesserte Handhabung der Übersetzung in einem separaten Dialog, um den Bearbeitungsdialog zu "entschlacken"
 - Verbesserte Handhabung von Benachrichtigungen.
 - Anpassung des Cookie Banners an das Portal Layout.
- App Center: Zahlreiche Bugfixes in der Handhabung der *App Settings*.
- Wizard zur Benutzererstellung: Anzeige von als benötigt markierten Attributen. Per UCR Variable kann konfiguriert werden, welche Benutzerattribute welche Standardwerte haben und bei der Erstellung eines Benutzerkontos sichtbar sind. Damit kann ein Administrator zum Beispiel festlegen, welche Parameter auf jeden Fall explizit beim Erstellen eines Benutzerkontos abgefragt werden und Werte enthalten müssen, z.B. die E-Mailadresse, die standardmäßig nicht erforderlich ist.
- Dieses Univention Corporate Server Release basiert auf Debian 10.11 *Buster*.
- Diverse Security Updates wurden in UCS 5.0-1 integriert, bspw. für Samba4, OpenSSL, PHP und den Linux Kernel.

Kapitel 2. Hinweise zum Update

Während der Aktualisierung kann es zu temporären Ausfällen von Diensten innerhalb der Domäne kommen. Aus diesem Grund sollte das Update innerhalb eines Wartungsfensters erfolgen. Grundsätzlich wird empfohlen, das Update zunächst in einer Testumgebung einzuspielen und zu testen. Die Testumgebung sollte dabei identisch zur Produktivumgebung sein. Je nach Systemgeschwindigkeit, Netzwerkanbindung und installierter Software kann das Update zwischen 20 Minuten und mehreren Stunden dauern. In großen Umgebungen kann es sinnvoll sein, den [ucs-performance-guide] zu berücksichtigen.


2.1. Empfohlene Update-Reihenfolge

Feedback 

In Umgebungen mit mehr als einem UCS-System muss die Update-Reihenfolge der UCS-Systeme beachtet werden:

Auf dem Primary Directory Node (frühere Bezeichnung: Domänencontroller Master) wird die maßgebliche (authoritative) Version des LDAP-Verzeichnisdienstes vorgehalten, die an alle übrigen LDAP-Server der UCS-Domäne repliziert wird. Da bei Release-Updates Veränderungen an den LDAP-Schemata auftreten können, muss der Primary Directory Node bei einem Release-Update immer als erstes System aktualisiert werden.

2.2. UCS nur noch als 64-Bit-Variante

Feedback 

UCS 5 wird nur noch für 64-Bit-Architekturen bereitgestellt. Vorhandene 32-Bit UCS Systeme können nicht auf UCS 5 aktualisiert werden.

Kapitel 3. Gleichzeitiger Betrieb von UCS und Debian auf UEFI Systemen

Beginnend mit UCS 5.0 wird ein gleichzeitiger Betrieb von UCS und Debian auf einem UEFI System nicht unterstützt.

Ursache hierfür ist der Bootloader GRUB von Univention Corporate Server, der teilweise die gleichen Konfigurationsdateien wie Debian verwendet. Ein bereits installiertes Debian führt dazu, dass UCS nach der Installation von bzw. einem Update auf UCS 5.0 nicht (mehr) gebootet werden kann. Eine nachträgliche Installation von Debian wird ebenfalls dazu führen, dass UCS 5.0 nicht mehr gebootet werden kann.

An folgendem Artikel werden weitere Hinweise zu diesem Thema gesammelt: <https://help.univention.com/t/17768>

Kapitel 4. Lokales Repository

Dieser Abschnitt ist für Umgebungen relevant, in denen ein lokales Repository eingerichtet ist. Die installierte (Major-)Version von UCS bestimmt welche Pakete ein lokales Repository bereitstellt. Ein Repository das auf einem UCS Server in Version 4.x betrieben wird stellt nur Pakete bis zur Version UCS 4.x bereit, ein Repository auf einem UCS 5 Server stellt nur Pakete für UCS 5 und neuere Versionen bereit. Um in einer Umgebung mit lokalem Repository Systeme auf UCS 5 zu aktualisieren, bestehen unter anderem die folgenden Möglichkeiten. Zunächst muss ein lokaler UCS 5 Repository Server aufgesetzt werden.

- Ein neues UCS 5 System wird als Primary Directory Node von der DVD oder aus einem virtualisiertem Basisimage installiert. Anschließend wird auf diesem System ein lokales Repository wie im UCS 5 Handbuch beschrieben eingerichtet.
- Ein neues UCS 5 System wird als Systemrolle Backup Directory Node, Replica Directory Node oder Managed Node von der DVD oder aus einem virtualisiertem Basisimage installiert. Im System-Setup ist auszuwählen, dass das System keiner Domäne beitrifft. Anschließend wird auf diesem System ein lokales Repository wie im UCS 5 Handbuch beschrieben eingerichtet. Nachdem der in der Domäne verwendet Primary Directory Node auf UCS 5 aktualisiert wurde, kann der UCS 5 Repository Server der Domäne über `univention-join` beitreten.

Um ein System in der Domäne auf UCS 5 zu aktualisieren, sollte der Server zunächst auf den aktuellsten Paketstand unter UCS 4.x aktualisiert werden. Anschließend wird der vom System verwendete Repository Server durch das Ändern der Univention Configuration Registry-Variable `repository/online/server` auf das lokale UCS 5 Repository gesetzt. Das System kann nun über die Univention Management Console oder über die Kommandozeile auf UCS 5 aktualisiert werden.

Kapitel 5. Vorbereitung des Updates

Manuell erstellter Python-Programmcode muss vor dem Update auf Kompatibilität mit Python 3.7 geprüft und entsprechend angepasst werden. Das betrifft auch Univention Configuration Registry Templates, die Python-Code enthalten. Angepasste Univention AD Connector Mapping Templates sind ein Beispiel. In der [developer-reference] finden sich weitere Hinweise.

Es sollte geprüft werden, ob ausreichend Festplattenplatz verfügbar ist. Eine Standard-Installation benötigt min. 6-10 GB Speicherplatz. Das Update benötigt je nach Umfang der vorhanden Installation ungefähr 1-2-GB zusätzlichen Speicherplatz zum Herunterladen und Installieren der Pakete.

Für das Update sollte eine Anmeldung auf der lokalen Konsole des Systems mit dem Benutzer `root` durchgeführt und das Update dort gestartet werden. Alternativ kann das Update über Univention Management Console durchgeführt werden.

Eine Remote-Aktualisierung über SSH wird nicht empfohlen, da dies beispielsweise bei Unterbrechung der Netzverbindung zum Abbruch des Update-Vorgangs und zu einer Beeinträchtigung des Systems führen kann. Sollte dennoch eine Aktualisierung über eine Netzverbindung durchgeführt werden, ist sicherzustellen, dass das Update bei Unterbrechung der Netzverbindung trotzdem weiterläuft. Hierfür können beispielsweise die Tools `tmux`, `screen` oder `at` eingesetzt werden, die auf allen UCS Systemrollen installiert sind.

Univention bietet ein Skript an, mit dem Probleme, die das Update des UCS Systems verhindern würden, schon vor dem Update erkannt werden können. Dieses Skript kann vor dem Update manuell auf das System geladen und ausgeführt werden:

```
# download
curl -Oof https://updates.software-univention.de/download/univention-
update-checks/pre-update-checks-5.0-1{.gpg,}

# verify and run script
apt-key verify pre-update-checks-5.0-1{.gpg,} &&
  bash pre-update-checks-5.0-1

...

Starting pre-update checks ...

Checking app_appliance ... OK
Checking block_update_of_NT_DC ... OK
Checking cyrus_integration ... OK
Checking disk_space ... OK
Checking hold_packages ... OK
Checking ldap_connection ... OK
Checking ldap_schema ... OK
...
```


Kapitel 6. Nachbereitung des Updates

Nach dem Update müssen die neuen oder aktualisierten Join-Skripte ausgeführt werden. Dies kann auf zwei Wegen erfolgen: Entweder über das UMC-Modul **Domänenbeitritt** oder durch Aufruf des Befehls `univention-run-join-scripts` als Benutzer `root`.

Anschließend muss das UCS-System neu gestartet werden.

Kapitel 7. Hinweise zum Einsatz einzelner Pakete

7.1. Erfassung von Nutzungsstatistiken


Feedback 

Bei Verwendung der UCS Core Edition werden anonyme Nutzungsstatistiken zur Verwendung von Univention Management Console erzeugt. Die aufgerufenen Module werden dabei von einer Instanz des Web-Traffic-Analyse-Tools Piwik protokolliert. Dies ermöglicht es Univention die Entwicklung von Univention Management Console besser auf das Kundeninteresse zuzuschneiden und Usability-Verbesserungen vorzunehmen.

Diese Protokollierung erfolgt nur bei Verwendung der UCS Core Edition. Der Lizenzstatus kann überprüft werden durch den Eintrag **Lizenz** -> **Lizenzinformation** des Benutzermenüs in der rechten, oberen Ecke von Univention Management Console. Steht hier unter **Lizenztyp** der Eintrag **UCS Core Edition** wird eine solche Edition verwendet. Bei Einsatz einer regulären UCS-Lizenz erfolgt keine Teilnahme an der Nutzungsstatistik.

Die Protokollierung kann unabhängig von der verwendeten Lizenz durch Setzen der Univention Configuration Registry-Variable `umc/web/piwik` auf `false` deaktiviert werden.

7.2. Empfohlene Browser für den Zugriff auf Univention Management Console

Feedback 

Univention Management Console verwendet für die Darstellung der Web-Oberfläche zahlreiche JavaScript- und CSS-Funktionen. Cookies müssen im Browser zugelassen sein. Die folgenden Browser werden empfohlen:


- Chrome ab Version 85
- Firefox ab Version 78
- Safari und Safari Mobile ab Version 13
- Microsoft Edge ab Version 88

Mit älteren Browsern können Darstellungs- oder Performanceprobleme auftreten.

Kapitel 8. Changelog

Die Changelogs mit den detaillierten Änderungsinformationen werden nur in Englisch gepflegt. Aufgeführt sind die Änderungen seit UCS 5.0-0:

8.1. General

Feedback 

- The package *univention-server* has been migrated to Python 3 (Bug 53348).
- Timestamps have been added to the log output of the server password change (Bug 53182).
- The package *univention-network-manager* has been migrated to Python 3 (Bug 53347).
- The theming has been adjusted for the usage in UCS@school (Bug 53665).
- All security updates issued for UCS 5.0-0 are included:
 - *apache2* (CVE-2020-35452 CVE-2021-26690 CVE-2021-26691 CVE-2021-30641 CVE-2021-31618 CVE-2021-34798 CVE-2021-36160 CVE-2021-39275 CVE-2021-40438) (Bug 53562 Bug 53894)
 - *bind9* (CVE-2021-25219) (Bug 54002)
 - *bluez* (CVE-2020-26558 CVE-2020-27153 CVE-2021-0129) (Bug 53637)
 - *clamav* (CVE-2021-1405) (Bug 53470)
 - *firefox-esr* (CVE-2021-29967 CVE-2021-29970 CVE-2021-29976 CVE-2021-29980 CVE-2021-29984 CVE-2021-29985 CVE-2021-29986 CVE-2021-29988 CVE-2021-29989 CVE-2021-30547 CVE-2021-38493 CVE-2021-38496 CVE-2021-38500) (Bug 53403 Bug 53595 Bug 53657 Bug 53772 Bug 53896)
 - *glib2.0* (CVE-2021-27218 CVE-2021-27219 CVE-2021-28153) (Bug 53477)
 - *gnutils28* (CVE-2020-24659 CVE-2021-20231 CVE-2021-20232) (Bug 53476)
 - *icu* (CVE-2020-21913) (Bug 54167)
 - *intel-microcode* (CVE-2020-24489 CVE-2020-24511 CVE-2020-24512 CVE-2020-24513) (Bug 53522)
 - *isc-dhcp* (Bug 53469)
 - *klibc* (CVE-2021-31870 CVE-2021-31871 CVE-2021-31872 CVE-2021-31873) (Bug 53475)
 - *krb5* (CVE-2021-36222 CVE-2021-37750) (Bug 53610 Bug 53899)
 - *lasso* (CVE-2021-28091) (Bug 53401)
 - *libcrypt20* (CVE-2021-33560) (Bug 53478)
 - *libsndfile* (CVE-2021-3246) (Bug 53627)
 - *libwebp* (CVE-2018-25009 CVE-2018-25010 CVE-2018-25011 CVE-2018-25013 CVE-2018-25014 CVE-2020-36328 CVE-2020-36329 CVE-2020-36330 CVE-2020-36331 CVE-2020-36332) (Bug 53441)
 - *libx11* (CVE-2021-31535) (Bug 53404)

- **libxml2** (CVE-2020-24977 CVE-2021-3516 CVE-2021-3517 CVE-2021-3518 CVE-2021-3537 CVE-2021-3541) (Bug 53472)
- **linux** (CVE-2020-3702 CVE-2020-16119 CVE-2020-24586 CVE-2020-24587 CVE-2020-24588 CVE-2020-25670 CVE-2020-25671 CVE-2020-25672 CVE-2020-26139 CVE-2020-26147 CVE-2020-26558 CVE-2020-29374 CVE-2020-36311 CVE-2021-0129 CVE-2021-3444 CVE-2021-3483 CVE-2021-3506 CVE-2021-3564 CVE-2021-3573 CVE-2021-3587 CVE-2021-3600 CVE-2021-3609 CVE-2021-3612 CVE-2021-3653 CVE-2021-3655 CVE-2021-3656 CVE-2021-3679 CVE-2021-3732 CVE-2021-3743 CVE-2021-3753 CVE-2021-22543 CVE-2021-23133 CVE-2021-23134 CVE-2021-28688 CVE-2021-28964 CVE-2021-28971 CVE-2021-28972 CVE-2021-29154 CVE-2021-29155 CVE-2021-29264 CVE-2021-29647 CVE-2021-29650 CVE-2021-31829 CVE-2021-31916 CVE-2021-32399 CVE-2021-33034 CVE-2021-33624 CVE-2021-33909 CVE-2021-34556 CVE-2021-34693 CVE-2021-35039 CVE-2021-35477 CVE-2021-37159 CVE-2021-37576 CVE-2021-38160 CVE-2021-38198 CVE-2021-38199 CVE-2021-38204 CVE-2021-38205 CVE-2021-40490 CVE-2021-42008 CVE-2021-42252) (Bug 53474 Bug 53606 Bug 53897)
- **linux-latest** (CVE-2020-3702 CVE-2020-16119 CVE-2020-24586 CVE-2020-24587 CVE-2020-24588 CVE-2020-25670 CVE-2020-25671 CVE-2020-25672 CVE-2020-26139 CVE-2020-26147 CVE-2020-26558 CVE-2020-29374 CVE-2021-0129 CVE-2021-3444 CVE-2021-3483 CVE-2021-3506 CVE-2021-3564 CVE-2021-3573 CVE-2021-3587 CVE-2021-3600 CVE-2021-3612 CVE-2021-3653 CVE-2021-3655 CVE-2021-3656 CVE-2021-3679 CVE-2021-3732 CVE-2021-3743 CVE-2021-3753 CVE-2021-22543 CVE-2021-23133 CVE-2021-23134 CVE-2021-28688 CVE-2021-28964 CVE-2021-28971 CVE-2021-28972 CVE-2021-29154 CVE-2021-29155 CVE-2021-29264 CVE-2021-29647 CVE-2021-29650 CVE-2021-31829 CVE-2021-31916 CVE-2021-32399 CVE-2021-33034 CVE-2021-33624 CVE-2021-34556 CVE-2021-35039 CVE-2021-35477 CVE-2021-37159 CVE-2021-37576 CVE-2021-38160 CVE-2021-38198 CVE-2021-38199 CVE-2021-38204 CVE-2021-38205 CVE-2021-40490 CVE-2021-42008 CVE-2021-42252) (Bug 53474 Bug 53897)
- **linux-signed-amd64** (CVE-2020-3702 CVE-2020-16119 CVE-2020-24586 CVE-2020-24587 CVE-2020-24588 CVE-2020-25670 CVE-2020-25671 CVE-2020-25672 CVE-2020-26139 CVE-2020-26147 CVE-2020-26558 CVE-2020-29374 CVE-2020-36311 CVE-2021-0129 CVE-2021-3444 CVE-2021-3483 CVE-2021-3506 CVE-2021-3564 CVE-2021-3573 CVE-2021-3587 CVE-2021-3600 CVE-2021-3609 CVE-2021-3612 CVE-2021-3653 CVE-2021-3655 CVE-2021-3656 CVE-2021-3679 CVE-2021-3732 CVE-2021-3743 CVE-2021-3753 CVE-2021-22543 CVE-2021-23133 CVE-2021-23134 CVE-2021-28688 CVE-2021-28964 CVE-2021-28971 CVE-2021-28972 CVE-2021-29154 CVE-2021-29155 CVE-2021-29264 CVE-2021-29647 CVE-2021-29650 CVE-2021-31829 CVE-2021-31916 CVE-2021-32399 CVE-2021-33034 CVE-2021-33624 CVE-2021-34556 CVE-2021-34693 CVE-2021-35039 CVE-2021-35477 CVE-2021-37159 CVE-2021-37576 CVE-2021-38160 CVE-2021-38198 CVE-2021-38199 CVE-2021-38204 CVE-2021-38205 CVE-2021-40490 CVE-2021-42008 CVE-2021-42252) (Bug 53474 Bug 53606 Bug 53897)
- **lz4** (CVE-2021-3520) (Bug 53405)
- **mariadb-10.3** (CVE-2021-2154 CVE-2021-2166 CVE-2021-2372 CVE-2021-2389 CVE-2021-27928) (Bug 53473 Bug 53895)
- **nettle** (CVE-2021-3580 CVE-2021-20305) (Bug 53479)
- **nss** (CVE-2021-43527) (Bug 54197)
- **ntfs-3g** (CVE-2021-33285 CVE-2021-33286 CVE-2021-33287 CVE-2021-33289 CVE-2021-35266 CVE-2021-35267 CVE-2021-35268 CVE-2021-35269 CVE-2021-39251 CVE-2021-39252)

- CVE-2021-39253 CVE-2021-39254 CVE-2021-39255 CVE-2021-39256 CVE-2021-39257
 CVE-2021-39258 CVE-2021-39259 CVE-2021-39260 CVE-2021-39261 CVE-2021-39262
 CVE-2021-39263) (Bug 53771)
- *openssl* (CVE-2021-3711 CVE-2021-3712) (Bug 53703)
 - *php7.3* (CVE-2021-21703 CVE-2021-21704 CVE-2021-21705) (Bug 53563 Bug 53990)
 - *postgresql-11* (CVE-2021-3677 CVE-2021-23214 CVE-2021-23222) (Bug 53898 Bug 54056)
 - *python-babel* (CVE-2021-20095) (Bug 54242)
 - *samba* (CVE-2016-2124 CVE-2020-17049 CVE-2020-25717 CVE-2020-25718 CVE-2020-25719
 CVE-2020-25721 CVE-2020-25722 CVE-2021-3738 CVE-2021-23192) (Bug 54013)
 - *squid* (CVE-2021-28651 CVE-2021-28652 CVE-2021-28662 CVE-2021-31806 CVE-2021-31807
 CVE-2021-31808 CVE-2021-33620) (Bug 53400)
 - *systemd* (CVE-2021-33910) (Bug 53605)
 - *tiff* (CVE-2020-19143) (Bug 54012)
 - The following updated packages from Debian Buster 10.11 are included (Bug 54218): *ansible, apache-log4j2, apt, aspell, atftp, awstats, base-files, btrbk, c-ares, clamav, clevis, commons-io, connman, crmsh, cyrus-imapd, debconf, debian-installer-netboot-images, distcc, distro-info-data, dnspython, dput-ng, espeak-ng, eterm, exactimage, exiv2, ffmpeg, fig2dev, fluidsynth, freediameter, fwupd-amd64-signed, fwupdate-amd64-signed, fwupdate, fwupd, gcc-mingw-w64, golang-github-docker-docker-credential-helpers, grilo, gthumb, hg-git, htldoc, htlib, http-parser, hyperkitty, ipmitool, ircii, irssi, isync, jackson-databind, java-atk-wrapper, jetty9, ledgersmb, lemonldap-ng, libbusiness-us-usps-webtools-perl, libdatettime-timezone-perl, libgetdata, libmateweather, libpam-tacplus, libspf2, libuv1, libxml-security-java, libxstream-java, liferea, linuxptp, lynx, mailman, mediawiki, modsecurity-crs, mqtt-client, mumble, mupdf, neutron, nextcloud-desktop, nginx, nmap, node-ansi-regex, node-axios, node-glob-parent, node-handlebars, node-hosted-git-info, node-jszip, node-redis, node-tar, node-ws, nvidia-cuda-toolkit, nvidia-graphics-drivers-legacy-390xx, nvidia-graphics-drivers, opendmarc, openjdk-11-jre-dcevm, openjdk-11, openvpn, php-horde-text-filter, plinth, postorius, proftpd-dfsg, prosody, psmisc, python-uflash, rails, redis, request-tracker4, ring, roundcube, ruby-kaminari, ruby-websocket-extensions, rust-rustyline, rxvt-unicode, sabnzbdplus, salt, scrollz, shim-helpers-amd64-signed, shim, shim-signed, shiro, speedtest-cli, squashfs-tools, strongswan, thunderbird, tnef, tomcat9, tor, trafficserver, tzdata, ublock-origin, uim, ulfius, user-mode-linux, velocity, webkit2gtk, wireshark, wml, wordpress, xen, xfce4-weather-plugin, xmlgraphics-commons, yubike-manager*
 - The following packages have been moved to the maintained repository of UCS: *univention-tftp* (Bug 35487)

8.2. Basic system services

 Feedback 


8.2.1. Univention Configuration Registry

 Feedback 

- `ucr commit` now prints a warning if a file is specified for which no template is registered (Bug 50010).
- Always call the UCR module function `handler()` with a dictionary mapping variables to a 2-tuple containing the old and new value, even when `ucr commit` or `ucr register` are invoked (Bug 53424).
- UCR now exits with an exit code of 1 when setting at least UCR variable fails (Bug 53742).
- Umlauts in UCR keys are allowed again, which was broken since UCS 5.0-1 (Bug 53742).


- UCR now immediately closes file references when they are not used anymore (Bug 53811).

8.2.1.1. Changes to templates and modules


Feedback 

- The package *univention-base-files* has been migrated to Python 3 (Bug 53343).
- A confusing wording in `/etc/motd` has been fixed (Bug 54184).

8.3. Domain services


Feedback 

8.3.1. OpenLDAP

Feedback 


- Update file `last_id` atomically (Bug 51910).
- Log error if `listener/listener` file cannot be written (Bug 51910).
- Consistently write `<TransID>` if `last_id` could not be determined as all (Bug 51910).
- Check `listener/listener.priv` file too if getting `last_id` failed (Bug 51910).
- Check `listener/listener` file if getting `last_id` failed (Bug 51910).

8.3.1.1. Listener/Notifier domain replication

Feedback 


- Log messages of `univention-translog` have been improved (Bug 51911, Bug 49430).
- The script `univention-translog` now also checks the file `listener/listener.priv` if that exists (Bug 51911, Bug 49430).
- The script `univention-translog` recognizes the special values `<TransID>` and `0` and is able to fix them (Bug 51911, Bug 49430).
- Restarting the *systemd* unit is now limited to 50 times in an observation window of 1000 seconds (Bug 51911, Bug 49430).
- The notifier aborts if the transaction ID issued by the OpenLDAP `translog` overlay is not a valid integer (Bug 51911, Bug 49430).
- Make module execution order configurable by explicitly specifying a *priority* (Bug 26089).
- The package *univention-directory-notifier* has been migrated to Python 3 (Bug 53355).
- The applying of a `failed.ldif` has been repaired, it was broken due to the Python 3 migration (Bug 53430).
- Make module execution order configurable by explicitly specifying a ``priority`` (Bug 26089).
- Make standard IO unbuffered. Otherwise (error) output from modules is buffered until the 8 KiB buffer becomes full. Only then the buffer is full, the previously collected output will be flushed and becomes visible en bloc in the log file `/var/log/univention/listener.log` (Bug 53071).

8.3.2. DNS server


Feedback 

- Server password change now logs timestamps (Bug 53182).

8.4. Univention Management Console


Feedback 

8.4.1. Univention Management Console web interface

Feedback 

- The configuration of log rotation for the UDM REST API logfiles has been added (Bug 51721).
- The style of the module tabs when using the query parameter `overview=false` has been adjusted (Bug 53906).
- The Caching settings of Univention Management Console have been enhanced and relaxed to fix Caching issues after the upgrade to UCS 5.0 (Bug 53465).
- The widgets `DateBox` and `TimeBox` now handle empty values correctly and support the syntax `date2` again (Bug 53631).
- The theming has been adjusted for the usage in UCS@school (Bug 53665).
- The login page no longer has the **Login** entry in the menu (Bug 53728).
- A light theme for UCS web interfaces has been implemented (Bug 53390).
- A new Univention Configuration Registry variable `ucs/web/theme` has been added to configure a theme for all UCS web interfaces. The dark theme is the default (Bug 53307).
- A regression where a saved username in Firefox is entered into a wrong input field has been fixed (Bug 53310).


8.4.2. Univention Portal

Feedback 

- A light theme for UCS web interfaces has been implemented (Bug 53390).
- Improved performance during drag and drop (Bug 53565).
- When using the portal for the first time, a sane guess which locale to set is made (Bug 53565).
- Changed the position of the button to leave the edit mode (Bug 53565).
- When entering edit mode, the portal overview is focused and the sidebar with portal attributes is not automatically opened anymore (Bug 53565).
- Added an error message if the portal data cannot be loaded (Bug 53565).
- Improved error validation in change password form (Bug 53565).
- Added a new widget for localization of certain attributes (Bug 53565).
- Added the option to connect groups to a tile. The tile is only visible to users of these groups (Bug 53565).
- Users now can choose to deleting an object entirely when removing (not just unlinking) (Bug 53565).
- Improved tile describing tooltip in mobile mode (Bug 53565).
- Close folder when switching to an embedded link (Bug 53565).
- Switch to portal overview when using the search bar (Bug 53565).
- Close search bar when opening embedded links (Bug 53565).

- Re-ordering of tiles now works within a folder (Bug 53565).
- New translation system (Bug 53565).
- Improved keyboard controls, including a drag and drop alternative (Bug 53565).
- Various accessibility fixes (Bug 53565).
- Various CSS fixes (Bug 53565, Bug 53385, Bug 53491).
- The template `/usr/share/univention-portal/apps.json` was unused and has been removed (Bug 53651).
- Tabs are now shown with a full tile with background, not just the logo (Bug 53385, Bug 53491).
- The portal can now be themed (Bug 53385, Bug 53491).
- Language menu is now only available if the portal supports more than one language; the selected language is disabled in the menu (Bug 53385, Bug 53491).
- The menu can now be edited in edit mode (Bug 53385, Bug 53491).
- Added multiple new fields in edit mode (Bug 53385, Bug 53491).
- Various accessibility fixes, like aria attributes (Bug 53385, Bug 53491).
- Cookie Banner now better fits the portal layout (Bug 53385, Bug 53491).
- Manage tabulator index for all components (Bug 53385, Bug 53491).
- Added indicator for folders exceeding 9 entries (Bug 53385, Bug 53491).
- Removed `console.log` messages (Bug 53385, Bug 53491).
- Edit modals cannot be closed when clicking the background; New layer for loading animation (Bug 53385, Bug 53491).
- Improved form validations (Bug 53385, Bug 53491).
- Improve portal header in mobile mode (Bug 53385, Bug 53491).
- Fix sizing in mobile mode (Bug 53385, Bug 53491).
- All notifications can now be removed at once (Bug 53385, Bug 53491).
- Notifications are shown in edit mode (Bug 53385, Bug 53491).
- Notifications and tabs now have a counter in the header bar (Bug 53385, Bug 53491).
- Notifications now hides automatically (Bug 53385, Bug 53491).

8.4.3. Univention Management Console server

Feedback 

- When being logged in via SAML a refresh of the SAML authentication at the UMC server (or LDAP server) is now done correctly again after the validity of the SAML message expired (Bug 52888).
- The behavior for multiple module tabs has been adjusted when using the query parameter ``overview=false`` (Bug 53906).

- The Caching settings of Univention Management Console have been enhanced and relaxed to fix Caching issues after the upgrade to UCS 5.0 (Bug 53465).
- The traceback format of exceptions occurring in a thread has been repaired (Bug 53817).
- The UMC server is now capable to send responses with mime type `image/svg+xml` (Bug 53779).
- The label of required multi valued widgets is now highlighted if no value is set (Bug 53665).
- The login page no longer has the entry **Login** in the menu (Bug 53728).
- Access to the Univention Management Console has been repaired if the user is allowed to use only one UMC module which does not have a flavor (Bug 51659).
- SAML logouts which are initiated by another service provider are now correctly handled (Bug 53436).
- The new Univention Configuration Registry variable `umc/http/enforce-secure-cookie` can be set to make cookies secure when using a HTTPS connection (Bug 51242).
- The new Univention Configuration Registry variable `umc/http/enforce-session-cookie` can be set to make the login cookie a session cookie. Closing the browser will delete the cookie, effectively logging out the user (Bug 53508).
- A light theme for UCS web interfaces has been implemented (Bug 53390).


8.4.4. Univention App Center

 Feedback 

- Remove cache files to force a rebuild with the next access to the cache (Bug 51986).
- The error handling in case `docker inspect` fails has been repaired (Bug 53803).
- Configuring an App that shipped with certain configure scripts did not work. This has been fixed (Bug 53761).
- The install dialog shows the errors of the installation and messages from the pre-installation script if the installation has failed (Bug 53625).
- The theming has been adjusted for the usage in UCS@school (Bug 53665).
- The traceback shall be send when an exception arises in `install_base` (Bug 53655).
- Fixed a regression where the App installation failed if the App had certain App settings (Bug 53630).
- The template `/usr/share/univention-portal/apps.json` was unused and has been removed (Bug 53651).
- App settings of the scope `outside` are now applied on the system before the App's preinst script (Bug 52506).
- App settings were not applied correctly during the installation (Bug 53578).
- Cache files are now verified using `apt-key verify`. This will allow us to update signature keys (Bug 53526).
- An issue has been fixed where certain strings containing apostrophes caused crashes (Bug 53412).
- A light theme for UCS web interfaces has been implemented (Bug 53390).
- An error has been fixed opening certain Apps (Bug 53384).


- Installation of certain apps fails, if the app id exceeds a certain limit in length (Bug 53273).

8.4.5. Univention Directory Manager UMC modules and command line interface

Feedback 

- The encoding of computers *displayName* and *krb5PrincipalName* allows UTF-8 again, as it has been in UCS 4.4 (Bug 53927).
- Make LDAP Object Class and Attribute names selectable (Bug 53840).
- Make options in Extended Attributes selectable (Bug 53840).
- Add syntax class to select UDM syntax class for Extended Attributes (Bug 53840).
- Expose the size limit parameter in the simple UDM API (Bug 53833).
- PDF printers can now be created without specifying a destination (Bug 53702).
- It is now possible to set an account activation date for users, e.g. via the property *accountActivationDate* in the UDM module *users/user* (Bug 53631).
- The simple UDM API now exposes the *remove_childs* option of UDM function *remove()* in the *delete()* method to recursively delete objects below the DN of the object that is being deleted (Bug 53667).
- Modifying groups objects without mail addresses in certain situations has been repaired (Bug 53653).
- Under certain circumstances renaming a computer object was not possible (Bug 53642).
- Timeout DNS edit operations after 120 seconds (Bug 39539).
- In the UDM module *users/user* the property *lockedTime* is now correctly handled in Python 3 (Bug 53574).
- The uniqueness of *groupnames* is now also checked when renaming a group (Bug 53453).
- Since the Python 3 migration broken LDAP filter where generated which contained byte-string-representations for UDM property names which are used in filters. The values are now correctly decoded (Bug 53553).
- The shell function *ucs_registerLDAPExtension* from the Univention shell library now allows the option *umcmessagelog*. This option can be used to supply translation files in GNU message catalog format for UMC (Bug 53532).
- The descriptions of email related attributes have been improved (Bug 46080).
- UDM now enforces uniqueness of the name of objects in the same sub-tree position (Bug 53102).
- Users/LDAP objects could not be created if the *mspolicy* password complexity criteria was configured due to the missing *displayname* (Bug 53339).
- UDM can now handle environments where the module *refint* for the attribute *uniqueMember* has been enabled (Bug 54185).

8.4.6. Modules for system settings / setup wizard

Feedback 

- The dependency on *python-univention-ipcalc* has been fixed (Bug 53345).

Software update module


- The theming has been adjusted for the usage in UCS@school (Bug 53665).
- A light theme for UCS web interfaces has been implemented (Bug 53390).
- The login message (message of the day) showed wrong versions of supported browsers (Bug 53244).

8.4.7. Software update module

Feedback 

- The package *univention-maintenance-mode* has been migrated to Python 3 (Bug 53346).

8.4.8. Domain join module

Feedback 


- Rebuilt for package *ldb* update to version 2.2.3 (Bug 54013).
- The package *univention-ldb-modules* has been migrated to Python 3 (Bug 53567).
- An encoding issue has been fixed, which prevented the UMC join module from executing join scripts (Bug 53181).
- Viewing the `join.log` in UMC now shows the newest entries instead of the first 2 MB only (Bug 53941).

8.4.9. License module

Feedback 

- A light theme for UCS web interfaces has been implemented (Bug 53390).

8.4.10. System diagnostic module

Feedback 

- The system diagnostic check no longer shows false positives when a HTTP proxy is used (Bug 50620).
- A light theme for UCS web interfaces has been implemented (Bug 53390).

8.4.11. Process overview module

Feedback 

- The theming has been adjusted for the usage in UCS@school (Bug 53665).

8.4.12. Policies

Feedback 


- It's now possible to select the LDAP server in the `policy_result` Python library (Bug 53943).

8.4.13. Filesystem quota module

Feedback 


- The theming has been adjusted for the usage in UCS@school (Bug 53665).
- The package *univention-quota* has been migrated to Python 3 (Bug 51317).

8.4.14. Univention Configuration Registry module

Feedback 

- The theming has been adjusted for the usage in UCS@school (Bug 53665).


8.4.15. Other modules

Feedback 

- The package *univention-system-info* has been migrated to Python 3 (Bug 51321).
- While copying an user object the entries were not filled correctly and saving was not possible (Bug 53857).


- Some colors have been adjusted to use the new UCS 5 colors (Bug 53665).
- Empty values are now prepended to static values for certain widgets if the syntax class requires this (Bug 53631).
- Rewriting properties of apps using App Options changed the original options leading to follow up errors especially in the UDM REST API (Bug 53714).
- The UDM UMC module no longer crashes when a LDAP search syntax uses a LDAP attribute as displayed label (Bug 53628).
- The user creation wizard now shows the *mailPrimaryAddress* if it is required. The default value and visibility of widgets in the user creation wizard can now be configured via UCR (Bug 53456).
- A light theme for UCS web interfaces has been implemented (Bug 53390).

8.5. Univention base libraries

Feedback 


- UDM now enforces uniqueness of the name of objects in the same subtree position (Bug 53102).
- Added new shell library function `echowithtimestamp` (Bug 53182).
- The parsing and generating of `fstab` entries now rejects more invalid values and generates valid values in certain cases (Bug 53902).
- The evaluation of deny-lists for shares has been repaired (Bug 51650).
- The Caching settings of Univention Management Console have been enhanced and relaxed to fix Caching issues after the upgrade to UCS 5.0 (Bug 53465).
- The shell function `ucs_registerLDAPExtension` from the Univention shell library now allows the option `umcmessagecatalog`. This option can be used to supply translation files in GNU message catalog format for the UMC (Bug 53532).

8.6. Software deployment

Feedback 


- The theming has been adjusted for the usage in UCS@school (Bug 53665).
- Most UCR variable descriptions have been updated and the default values were moved to the new UCR default layer. Due to this move the default for `unset` values might have changed, e.g. `update/check/boot/enabled` and `update/check/cron/enabled` are affected (Bug 47860).
- A light theme for UCS web interfaces has been implemented (Bug 53390).
- Due to the updated repository structure, creating a local repository mirror from a UCS 5 DVD has been deprecated. A new local repository will now directly be mirrored from the upstream online repository (Bug 53429).
- Ignore file `ucs-releases.json` to prevent it from being removed on local repository clean (Bug 53429).

8.6.1. Software monitor


Feedback 

- The theming has been adjusted for the usage in UCS@school (Bug 53665).
- The package *univention-pkgdb* has been migrated to Python 3 (Bug 51337).

8.7. System services


Feedback 

8.7.1. SAML

Feedback 


- Permissions to use a SAML service provider in UCS can be configured on a user object or at group objects for all members of the group. The check via the *memberOf* attribute for group membership was not done case insensitive (Bug 53723).
- The Single-Sign-On login page was not affected by the Univention Configuration Registry variable `ucs/web/theme` (Bug 53533).
- A light theme for UCS web interfaces has been implemented (Bug 53390).

8.7.2. Univention self service

Feedback 


- The descriptions of email related attributes have been improved (Bug 46080).
- The Python 2 compatibility of the UCR module `self-service-acl.py` has been restored (Bug 53459).
- A light theme for UCS web interfaces has been implemented (Bug 53390).

8.7.3. Dovecot

Feedback 


- The DH parameters for Dovecot are now correctly created. The Managesieve service could not be used with TLS before (Bug 53994).
- Server password change now logs timestamps (Bug 53182).

8.7.4. Postfix

Feedback 


- Time-stamps have been added to the log output of the server password change call (Bug 53182).
- The Univention Directory Listener module `listfilter.py` did not respect the Univention Configuration Registry variable `mail/postfix/policy/listfilter/use_sasl_username=yes` when it is executed with the option `--test` (Bug 53463).

8.7.5. Printing services

Feedback 


- The theming has been adjusted for the usage in UCS@school (Bug 53665).
- The package *univention-printserver* has been migrated to Python 3 (Bug 51335).

8.7.6. Nagios

Feedback 


- The Nagios plugin `check_univention_slapd_mdb_maxsize` now takes the number of free pages into account for checking the size of the LDAP database (Bug 54186).

8.7.7. Apache

Feedback 

- The package *univention-apache* has been migrated to Python 3 (Bug 53359).


8.7.8. RADIUS

Feedback 

- Server password change now logs timestamps (Bug 53182).


- Activate default configuration in `/etc/freeradius/3.0/sites-available` (Bug 53712).

8.7.9. Proxy services

Feedback 


- The correct file `keytab` is now used by squid for Kerberos authentication (Bug 53648).

8.7.10. SSL

Feedback 


- Timeout SSL certificate download after 10 minutes (Bug 51776).

8.7.11. DHCP server

Feedback 


- Server password change now logs timestamps (Bug 53182).

8.7.12. Other services


Feedback 

- The theming has been adjusted for the usage in UCS@school (Bug 53665).

8.8. Services for Windows


Feedback 

8.8.1. Samba

Feedback 


- Update package *ldb* for samba 4.13.14 (Bug 54013).
- Package *univention-samba4-backup* has been fixed (Bug 53438).
- Update Samba to 4.13.14 (effectively) (Bug 54013).
- Server password change now logs timestamps (Bug 53182).
- An error in the listener `samba-shares.py` is prevented during the removal of shares with assigned NT ACLs (Bug 53414).
- Errors in the Python 3 migration of the listener `samba-shares.py` have been corrected (Bug 53458).
- Add *username map script* for use when Samba is configured as domain member (Bug 54013).
- The UCR module for Samba share restrictions did not quote the spaces inside share names like the samba listener does (Bug 53828).

8.8.2. Univention AD Takeover

Feedback 


- An error in the Python 3 migration has been fixed which causes that the AD takeover was not possible if the AD Domain contained objects with attributes *mail* or *proxyAddresses* (Bug 53466).

8.8.3. Univention S4 connector

Feedback 

- Server password change now logs timestamps (Bug 53182).
- The Univention S4 connector only deletes/adds objects now if they have the corresponding attribute *entryUUID/objectGUID*. If a new object with the same DN as an old one is created, the S4 Connector treats them now correctly as different objects (Bug 50593).
- The script `/usr/share/univention-s4-connector/msgpo.py` now supports the arguments `--binddn` and `--bindpwfile`, which have been accidentally removed in UCS 5.0 (Bug 53705).

8.8.4. Univention Active Directory Connection

Feedback 

- Invalid values in the LDAP attribute *sambaNTPassword* are now ignored instead of triggering a traceback (Bug 53757).
- The Nagios check for *univention-ad-connector* reported a false positive if multiple ad-connector instances were running (Bug 53340).
- UCS rejects are resynchronized only a certain amount of times. This is configurable via a new Univention Configuration Registry variable `connector/ad/max_retry_rejected`, which defaults to 10 tries (Bug 54147).

8.9. Other changes

Feedback 

- The package *univention-home-mounter* has been migrated to Python 3 (Bug 53344).
- The package *univention-ldap-overlay-memberof* has been migrated to Python 3 (Bug 53356).
- The package *univention-ssh* has been migrated to Python 3 (Bug 53342).
- The package *univention-admingrp-user-passwordreset* has been migrated to Python 3 (Bug 53354).
- *univention-ipcalc6* has been converted to Python 3 (Bug 53345).
- The deprecated *univention-ipcalc* has been removed (Bug 22511).
- A SAML service provider configuration can now contain an array of attributes in the option *case_insensitive_attributes* when using an *authorize:Authorize* filter. These attributes will be compared case insensitive (Bug 53723).
- The function `ucs_registerLDAPExtension` from the Univention shell library now allows the option `umcmessagecatalog`. This option can be used to supply translation files in GNU message catalog format for the UMC (Bug 53532).
- Standard streams could be set to non inheritable within the daemon context. Which means child process did not have any standard streams. This made it impossible to use the UMC join module to join or rejoin a UCS server (Bug 53181).
- The package *univention-group-membership-cache* has been added to provide a fast user and group membership cache (Bug 54182).
- On the Primary the LDAP server module `refint` can now be enabled by setting the Univention Configuration Registry variable `ldap/refint=true`. It enforces referential integrity for the attribute *unique-Member*. For updates the module will not be enabled by default (Bug 54185).

Literaturverzeichnis

[ucs-performance-guide] Univention GmbH. 2021. *UCS performance guide*. <https://docs.software-univention.de/performance-guide-5.0.html>.

[developer-reference] Univention GmbH. 2021. *Univention Developer Reference*. <https://docs.software-univention.de/developer-reference-5.0.html>.