

UCS 4.3 Release Notes



**Release notes for the installation and update
of Univention Corporate Server (UCS) 4.3-3**

Alle Rechte vorbehalten. / All rights reserved.

(c) 2002-2018 Univention GmbH

Mary-Somerville-Straße 1, 28359 Bremen, Deutschland/Germany

<feedback@univention.de>

Jede aufgeführte Marke und jedes Warenzeichen steht im Eigentum ihrer jeweiligen eingetragenen Rechtsinhaber. Linux ist ein eingetragenes Warenzeichen von Linus Torvalds.

The mentioned brand names and registered trademarks are owned by the respective legal owners in each case. Linux is a registered trademark of Linus Torvalds.

Table of Contents

1. Release Highlights	4
2. Notes about the update	5
2.1. Recommended update order for environments with more than one UCS server	5
2.2. UCS installation DVD only available for 64 bit	5
3. Preparation of update	6
4. Postprocessing of the update	7
5. Notes on selected packages	8
5.1. Collection of usage statistics	8
5.2. Scope of security support for WebKit, Konqueror and QtWebKit	8
5.3. Recommended browsers for the access to Univention Management Console	8
6. Changelog	9
6.1. General	9
6.2. Univention Installer	11
6.3. Basic system services	12
6.3.1. Univention Configuration Registry	12
6.3.1.1. Changes to templates and modules	12
6.4. Domain services	12
6.4.1. OpenLDAP	12
6.4.1.1. Listener/Notifier domain replication	12
6.5. Univention Management Console	12
6.5.1. Univention Management Console web interface	12
6.5.2. Univention Portal	13
6.5.3. Univention Management Console server	13
6.5.4. Univention App Center	13
6.5.5. Univention Directory Manager UMC modules and command line interface	13
6.5.6. Modules for system settings / setup wizard	14
6.5.7. Domain join module	15
6.5.8. System diagnostic module	15
6.5.9. Policies	15
6.5.10. Filesystem quota module	15
6.5.11. Other modules	15
6.6. Univention base libraries	15
6.7. Software deployment	16
6.8. System services	16
6.8.1. PostgreSQL	16
6.8.2. Docker	16
6.8.3. SAML	16
6.8.4. Univention self service	16
6.8.5. Mail services	17
6.8.6. Dovecot	17
6.8.7. Printing services	17
6.8.8. Nagios	17
6.8.9. RADIUS	17
6.8.10. Proxy services	17
6.8.11. SSL	17
6.9. Virtualization	17
6.9.1. UCS Virtual Machine Manager (UVMM)	17
6.10. Services for Windows	18
6.10.1. Samba	18
6.10.2. Univention S4 Connector	18
6.10.3. Univention Active Directory Connection	19
6.11. Other changes	19

Chapter 1. Release Highlights


With Univention Corporate Server 4.3-3, the third point release of Univention Corporate Server (UCS) 4.3 is now available. It provides several feature improvements and extensions, new properties as well as various improvements and bugfixes. Here is an overview of the most important changes:

- The configuration options for the UCS portal have been extended to better adapt it to your own needs. It is now possible to define custom categories for tiles. There also is the possibility to define static links, e.g. to link an imprint.
- The new UCS Dashboard App allows administrators to quickly and easily view the state of the domain or individual servers on different dashboards.
- In addition to minor bug fixes in Univention Management Console the scrolling behavior has been improved in many places.
- The introduction of a new simplified Python API reduces the development effort for developers to access the UCS Identity Management.
- Various security updates have been integrated into UCS 4.3-3, e.g. *Apache2*, the Linux kernel and *Samba4*. UCS 4.3-3 is based on the Debian release 9.6 released in November. A complete list is available in Chapter 6.

Chapter 2. Notes about the update

During the update some services in the domain may not be available temporarily, that is why the update should occur in a maintenance window. It is recommended to test the update in a separate test environment prior to the actual update. The test environment should be identical to the production environment. Depending on the system performance, network connection and the installed software the update will take between 20 minutes and several hours.


2.1. Recommended update order for environments with more than one UCS server

Feedback 

In environments with more than one UCS system, the update order of the UCS systems must be borne in mind:

The authoritative version of the LDAP directory service is maintained on the master domain controller and replicated to all the remaining LDAP servers of the UCS domain. As changes to the LDAP schema can occur during release updates, the master domain controller must always be the first system to be updated during a release update.

2.2. UCS installation DVD only available for 64 bit

Feedback 

Starting with UCS 4.0, installation DVD are only provided for the x86 64 bit architecture (amd64). Existing 32 bit UCS 3 systems can still be updated to UCS 4.0 through the online repository or by using update DVD. The 32 bit architecture will be supported over the entire UCS 4 maintenance period.

Chapter 3. Preparation of update

It must be checked whether sufficient disk space is available. A standard installation requires a minimum of 10 GB of disk space. The update requires approximately 4 GB additional disk space to download and install the packages, depending on the size of the existing installation.

For the update, a login should be performed on the system's local console as user `root`, and the update should be initiated there. Alternatively, the update can be conducted using Univention Management Console.

Remote updating via SSH is not recommended as this may result in the update procedure being canceled, e.g., if the network connection is interrupted. In consequence, this can affect the system severely. If updating should occur over a network connection nevertheless, it must be verified that the update continues in case of disconnection from the network. This can be achieved, e.g., using the tools `screen` and `at`. These tools are installed on all UCS system roles by default.


Chapter 4. Postprocessing of the update

Following the update, new or updated join scripts need to be executed. This can be done in two ways: Either using the UMC module **Domain join** or by running the command `univention-run-join-scripts` as user `root`.

Subsequently the UCS system needs to be restarted.

Chapter 5. Notes on selected packages

5.1. Collection of usage statistics


Feedback 

Anonymous usage statistics on the use of Univention Management Console are collected when using the *UCS Core Edition*. The modules opened get logged to an instance of the web traffic analysis tool Piwik. This makes it possible for Univention to tailor the development of Univention Management Console better to customer needs and carry out usability improvements.

This logging is only performed when the *UCS Core Edition* license is used. The license status can be verified via the menu entry **License** - > **License information** of the user menu in the upper right corner of Univention Management Console. If **UCS Core Edition** is listed under **License type**, this version is in use. When a regular UCS license is used, no usage statistics are collected.


Independent of the license used, the statistics generation can be deactivated by setting the Univention Configuration Registry variable `umc/web/piwik` to *false*.

5.2. Scope of security support for WebKit, Konqueror and QtWebKit

Feedback 

WebKit, Konqueror and QtWebKit are shipped in the maintained branch of the UCS repository, but not covered by security support. WebKit is primarily used for displaying HTML help pages etc. Firefox should be used as web browser.

5.3. Recommended browsers for the access to Univention Management Console

Feedback 

Univention Management Console uses numerous JavaScript and CSS functions to display the web interface. Cookies need to be permitted in the browser. The following browsers are recommended:


- Chrome as of version 37
- Firefox as of version 38
- Internet Explorer as of version 11
- Safari and Safari Mobile as of version 9

Users running older browsers may experience display or performance issues.

Chapter 6. Changelog

Listed are the changes since UCS 4.3-2:

6.1. General

Feedback 

- All security updates issued for UCS 4.3-3 are included:
 - *apache2* (CVE-2018-1333 CVE-2018-11763) (Bug 48163)
 - *asterisk* (CVE-2018-7284 CVE-2018-7286 CVE-2018-12227 CVE-2018-17281) (Bug 48007)
 - *ceph* (CVE-2017-7519 CVE-2018-1128 CVE-2018-1129 CVE-2018-10861) (Bug 48179)
 - *clamav* (CVE-2018-15378) (Bug 48052)
 - *curl* (CVE-2018-14618 CVE-2018-16839 CVE-2018-16842) (Bug 47759 Bug 48093)
 - *firefox-esr* (CVE-2017-16541 CVE-2018-12376 CVE-2018-12377 CVE-2018-12378 CVE-2018-12379 CVE-2018-12383 CVE-2018-12385 CVE-2018-12386 CVE-2018-12387 CVE-2018-12389 CVE-2018-12390 CVE-2018-12392 CVE-2018-12393 CVE-2018-12395 CVE-2018-12396 CVE-2018-12397) (Bug 47775 Bug 47851 Bug 47904 Bug 48049)
 - *firmware-nonfree* (CVE-2016-0801 CVE-2017-0561 CVE-2017-9417 CVE-2017-13077 CVE-2017-13078 CVE-2017-13079 CVE-2017-13080 CVE-2017-13081) (Bug 48178)
 - *ghostscript* (CVE-2017-7948 CVE-2017-8908 CVE-2017-9610 CVE-2017-9618 CVE-2017-9619 CVE-2017-9620 CVE-2017-9740 CVE-2018-11645 CVE-2018-15908 CVE-2018-15910 CVE-2018-15911 CVE-2018-16509 CVE-2018-16511 CVE-2018-16513 CVE-2018-16539 CVE-2018-16540 CVE-2018-16541 CVE-2018-16542 CVE-2018-16543 CVE-2018-16585 CVE-2018-16802 CVE-2018-17183 CVE-2018-17961 CVE-2018-18073 CVE-2018-18284 CVE-2018-19409 CVE-2018-19475 CVE-2018-19476 CVE-2018-19477) (Bug 47774 Bug 47825 Bug 48170 Bug 48238)
 - *git* (CVE-2018-17456) (Bug 47989)
 - *gnutls28* (CVE-2018-10844 CVE-2018-10845 CVE-2018-10846) (Bug 48174)
 - *hylafax* (CVE-2018-17141) (Bug 47849)
 - *imagemagick* (CVE-2018-16412 CVE-2018-16413 CVE-2018-16642 CVE-2018-16644 CVE-2018-16645) (Bug 47990)
 - *lcms2* (CVE-2018-16435) (Bug 47760)
 - *libarchive-zip-perl* (CVE-2018-10860) (Bug 47853)
 - *libgd2* (CVE-2018-5711 CVE-2018-1000222) (Bug 48175)
 - *liblivemedia* (CVE-2018-4013) (Bug 48202)
 - *libmspack* (CVE-2017-6419 CVE-2017-11423 CVE-2018-14679 CVE-2018-14680 CVE-2018-14681 CVE-2018-14682 CVE-2018-18584 CVE-2018-18585) (Bug 48168)
 - *libopenmpt* (CVE-2018-10017) (Bug 48177)

General

- **libssh** (CVE-2018-10933) (Bug 48012)
- **libtirpc** (CVE-2018-14622) (Bug 48171)
- **libx11** (CVE-2018-14598 CVE-2018-14599 CVE-2018-14600) (Bug 48180)
- **libxcursor** (CVE-2015-9262) (Bug 48176)
- **linux** (CVE-2017-18216 CVE-2017-18224 CVE-2018-3620 CVE-2018-6554 CVE-2018-6555 CVE-2018-7755 CVE-2018-9363 CVE-2018-9516 CVE-2018-10876 CVE-2018-10877 CVE-2018-10881 CVE-2018-10882 CVE-2018-10883 CVE-2018-10902 CVE-2018-10938 CVE-2018-13099 CVE-2018-13405 CVE-2018-13406 CVE-2018-14609 CVE-2018-14617 CVE-2018-14633 CVE-2018-14678 CVE-2018-14734 CVE-2018-15471 CVE-2018-15572 CVE-2018-15594 CVE-2018-16276 CVE-2018-16658 CVE-2018-17182 CVE-2018-18021) (Bug 47894 Bug 47987 Bug 48172)
- **mariadb-10.1** (CVE-2017-10268 CVE-2017-10378 CVE-2017-15365 CVE-2018-2562 CVE-2018-2612 CVE-2018-2622 CVE-2018-2640 CVE-2018-2665 CVE-2018-2668 CVE-2018-2755 CVE-2018-2761 CVE-2018-2766 CVE-2018-2767 CVE-2018-2771 CVE-2018-2781 CVE-2018-2782 CVE-2018-2784 CVE-2018-2787 CVE-2018-2813 CVE-2018-2817 CVE-2018-2819 CVE-2018-3058 CVE-2018-3063 CVE-2018-3064 CVE-2018-3066 CVE-2018-3081 CVE-2018-3143 CVE-2018-3156 CVE-2018-3174 CVE-2018-3251 CVE-2018-3282) (Bug 48201)
- **net-snmp** (CVE-2018-18065) (Bug 47991)
- **network-manager** (CVE-2018-15688) (Bug 48164)
- **okular** (CVE-2018-1000801) (Bug 47852)
- **openjdk-8** (CVE-2018-3136 CVE-2018-3139 CVE-2018-3149 CVE-2018-3169 CVE-2018-3180 CVE-2018-3183 CVE-2018-3214) (Bug 48074)
- **openssl** (CVE-2018-0732 CVE-2018-0734 CVE-2018-0735 CVE-2018-0737)
- **perl** (CVE-2018-18311 CVE-2018-18312 CVE-2018-18313 CVE-2018-18314) (Bug 48239)
- **python2.7** (CVE-2018-1060 CVE-2018-1061 CVE-2018-14647 CVE-2018-1000802) (Bug 47890)
- **python3.5** (CVE-2017-1000158 CVE-2018-1060 CVE-2018-1061 CVE-2018-14647) (Bug 47891)
- **qemu** (CVE-2018-10839 CVE-2018-17962 CVE-2018-17963) (Bug 48165)
- **ruby2.3** (CVE-2018-16395 CVE-2018-16396) (Bug 48094)
- **samba** (CVE-2018-16851) (Bug 47583 Bug 48183)
- **spamassassin** (CVE-2017-15705 CVE-2018-11780 CVE-2018-11781) (Bug 48169)
- **spice** (CVE-2018-10873) (Bug 47996)
- **systemd** (CVE-2018-15688) (Bug 48162)
- **texlive-bin** (CVE-2018-17407) (Bug 47892)
- **tiff** (CVE-2018-5784 CVE-2018-7456 CVE-2018-8905 CVE-2018-10963 CVE-2018-17101 CVE-2018-18557 CVE-2017-11613 CVE-2017-17095)


- *unbound* (CVE-2017-15105) (Bug 48173)
- *univention-kernel-image-signed* (CVE-2017-18216 CVE-2017-18224 CVE-2018-3620 CVE-2018-6554 CVE-2018-6555 CVE-2018-7755 CVE-2018-9363 CVE-2018-9516 CVE-2018-10876 CVE-2018-10877 CVE-2018-10881 CVE-2018-10882 CVE-2018-10883 CVE-2018-10902 CVE-2018-10938 CVE-2018-13099 CVE-2018-13405 CVE-2018-13406 CVE-2018-14609 CVE-2018-14617 CVE-2018-14633 CVE-2018-14678 CVE-2018-14734 CVE-2018-15471 CVE-2018-15572 CVE-2018-15594 CVE-2018-16276 CVE-2018-16658 CVE-2018-17182 CVE-2018-18021) (Bug 47894 Bug 47987 Bug 48172)
- *wireshark* (CVE-2017-9343 CVE-2017-9344 CVE-2017-9345 CVE-2017-9346 CVE-2017-9347 CVE-2017-9348 CVE-2017-9349 CVE-2017-9350 CVE-2017-9351 CVE-2017-9352 CVE-2017-9353 CVE-2017-9354 CVE-2017-9616 CVE-2017-9617 CVE-2017-9766 CVE-2017-11406 CVE-2017-11407 CVE-2017-11410 CVE-2017-13764 CVE-2017-13765 CVE-2017-13767 CVE-2017-15189 CVE-2017-15191 CVE-2017-15192 CVE-2017-15193 CVE-2017-17935 CVE-2017-17997 CVE-2018-7321 CVE-2018-7322 CVE-2018-7323 CVE-2018-7324 CVE-2018-7325 CVE-2018-7326 CVE-2018-7329 CVE-2018-7331 CVE-2018-7332 CVE-2018-7333 CVE-2018-7336 CVE-2018-7337 CVE-2018-7417 CVE-2018-7418 CVE-2018-7420 CVE-2018-7421 CVE-2018-9256 CVE-2018-9257 CVE-2018-9258 CVE-2018-9259 CVE-2018-9260 CVE-2018-9262 CVE-2018-9263 CVE-2018-9265 CVE-2018-9266 CVE-2018-9267 CVE-2018-9268 CVE-2018-9269 CVE-2018-9270 CVE-2018-9271 CVE-2018-9272 CVE-2018-11356 CVE-2018-11357 CVE-2018-11359 CVE-2018-11361 CVE-2018-14339 CVE-2018-14340 CVE-2018-14341 CVE-2018-14342 CVE-2018-14343 CVE-2018-14344 CVE-2018-14368 CVE-2018-14369 CVE-2018-16056 CVE-2018-16057 CVE-2018-16058) (Bug 47992)
- *wpa* (CVE-2018-14526) (Bug 48167)
- *xorg-server* (CVE-2018-14665) (Bug 48073)
- The following updated packages from Debian 9.6 are included (Bug 48278): *accerciser, base-files, brltty, canna, cargo, chromium-browser, confuse, debian-installer, debian-installer-netboot-images, discount, dnsmasq, dom4j, dpdk, dropbear, drupal7, easytag, enigmail, espeakup, fastforward, firetray, fuse, ganeti, globus-gsi-credential, gnupg2, gphoto2-cffi, graphicsmagick, grub2, hdparm, https-everywhere, i3-wm, icecast2, iipimage, jhead, kamilio, lastpass-cli, ldap2zone, libcgrouper, libclamunrar, libdap, libdatetime-timezone-perl, libextractor, libmail-deliverystatus-bounceparser-perl, libseccomp, libxml-stream-perl, libxml-structured-perl, lxcfs, mailman, mbedtls, mediawiki, mgetty, moin, mosquito, multipath-tools, mupdf, nagstamon, network-manager-applet, nginx, ola, openafs, opensc, otrs2, pkgsel, publicsuffix, python-django, python-imaplib2, roundcube, ruby-json-jwt, rustc, sddm, serf, soundconverter, spice-gtk, sqlcipher, strongswan, subversion, sympa, systray, thunderbird, tinc, tomcat-native, tor, trafficserver, tzdata, ublock-origin, vagrant, vmtk, x11vnc, xapian-core, xmotd, xorg-server, zutils*
- The following packages have been moved to the maintained repository of UCS: *backports.ssl-match-hostname* (Bug 43612), *cached-property* (Bug 43612), *docker-compose* (Bug 43612), *dockerpty* (Bug 43612), *docopt* (Bug 43612), *lazy-object-proxy* (Bug 48086), *libconfig-inifiles-perl* (Bug 48201), *libhx* (Bug 47933), *libresample* (Bug 48007), *python-bsddb3* (Bug 47933), *python-docker* (Bug 43612), *python-functools32* (Bug 43612), *python-jsonschema* (Bug 43612), *python-ruamel.orderdict* (Bug 43612), *python-typing* (Bug 43612), *ruamel.yaml* (Bug 43612), *texttable* (Bug 43612), *websocket-client* (Bug 43612), *wimlib* (Bug 47994)

6.2. Univention Installer


- The UCS DVD now contains the package *netcat-openbsd*. It is required for VNC access to virtual machines (Bug 48015).

- If UCS is installed from an USB stick, *grub-install* shows a screen to select the boot device. That list no longer includes the USB stick itself (Bug 47925).

6.3. Basic system services


Feedback 

6.3.1. Univention Configuration Registry

Feedback 


- Univention Configuration Registry modules cannot accidentally get registered multiple times anymore (Bug 35239).

6.3.1.1. Changes to templates and modules


Feedback 

- Ensure that the address associated with the network interface specified via the Univention Configuration Registry variable `interfaces/primary` is the first entry in `/etc/hosts` (Bug 30397).
- Ensure that the directory `/var/univention-backup/` exists in *univention-config-registry-backup* (Bug 47336).


6.4. Domain services

Feedback 

6.4.1. OpenLDAP


Feedback 

6.4.1.1. Listener/Notifier domain replication


Feedback 

- The Univention Directory Listener opens two connections: a persistent connection to a Univention Directory Notifier and an on-demand connection to an LDAP server. In some rare situations two different hosts were contacted for those connections, which could lead to inconsistencies in LDAP replication (Bug 48030).
- Fix terminal detection code in `univention-directory-listener-ctrl` (Bug 47870).
- Log a message when a listener module using the new API was deactivated (Bug 47871).
- Fixed a crash when the Univention Configuration Registry variables `server/role` and `ldap/master` are not set (Bug 47837).
- An alternative mechanism to initialize the Univention Directory Listener in large environments was added (Bug 47783).

6.5. Univention Management Console

Feedback 


6.5.1. Univention Management Console web interface

Feedback 

- A widget for limited text input has been moved to the common library (Bug 48106).
- Long item names in the tree widget no longer overlap underlying items (Bug 45323).
- The version of the dojo framework has been upgraded (Bug 47997).
- The scrolling in the UCS Virtual Machine Manager module has been improved (Bug 36624).
- The scrolling in the LDAP directory module has been improved (Bug 45598).
- It is now possible to define custom categories for the portal (Bug 47243).


- An issue with the drop-down menu for the search value in the advanced search of UDM modules being unusable has been resolved (Bug 44471).

6.5.2. Univention Portal

Feedback 


- The ordering of the default categories in the Portal unintentionally changed with a previous update. This has been reverted (Bug 47872).
- Fix the broken text of the portal title and name (Bug 47877).
- Portal entries not shown after update to latest portal version (Bug 47870).
- Portal entries were not shown after the update to erratum 250 (Bug 47864).
- The visibility of a portal entry object can now be restricted to multiple groups instead of just one (Bug 46927).
- It is now possible to define custom categories for the portal (Bug 47243).
- Allow to customize portal with static pages (Bug 43442).

6.5.3. Univention Management Console server

Feedback 


- Fix SAML metadata creation for external certificate authorities like Let's Encrypt (Bug 47700).
- The scrolling in the UCS Virtual Machine Manager module has been improved (Bug 36624).
- The scrolling in the LDAP directory module has been improved (Bug 45598).
- Fix regression in traceback handling (Bug 47857).

6.5.4. Univention App Center

Feedback 

- Improved check for database existence when installing an app which uses a database (Bug 42690).
- Checkboxes in the App Settings were marked as required in the HTML causing problems when submitting the form (Bug 47824).
- The App Center now supports Apps that require multiple containers to work by using *docker-compose* (Bug 43612).
- In some cases the App Center removed installed listener modules (Bug 48104).
- Never prompt in container commands during the app installation (Bug 47763).
- Installation routines now ask for valid credentials before actually doing anything. Prior to this change, the user may have been prompted for credentials in the middle of the installation process. Invalid credentials at this point may have led to errors (Bug 47619).
- Proxy settings in containers are updated before an app upgrade (Bug 47439).
- When an app is opened in the App Center, the page now scrolls to the top and when the App detail page is closed, the previous scroll position is restored (Bug 39667).

6.5.5. Univention Directory Manager UMC modules and command line interface


Feedback 

- System accounts are not counted if the license allows unlimited users (Bug 48145).

Modules for system settings / setup wizard


- Keep the choices for the modules in extended attributes updated (Bug 30387).
- Added a new hook base class `AttributeHook`. This can be used to implement a mapping between LDAP and UDM for extended attributes (Bug 43129).
- The username `admin` is now allowed (Bug 38092).
- The UDM module `settings/data` was added. It can be used to store arbitrary data in LDAP (Bug 47944).
- A new API has been added that aims to provide a much easier handles for UDM calls (Bug 47316).
- The ordering of the default categories in the Portal unintentionally changed with a previous update. This has been reverted (Bug 47872).
- Ensure update of syntax class `mailinglist_name` in running Python processes (Bug 48020).
- Revert reloading `syntax.py` (Bug 48026).
- Searching for some UDM properties led to a traceback (Bug 47910).
- Some error messages are more explicit (Bug 47861).
- Fix a traceback during portal assignment at computer objects when a settings/portal object is created (Bug 47818).
- The search filter generated for boolean and multi-value properties of UDM objects was not correct (Bug 40672).
- The visibility of a portal entry object can now be restricted to multiple groups instead of just one (Bug 46927).
- For performance reasons, UDM stores the last used value of `uidNumber` and `gidNumber` in an LDAP object in the `univentionLastUsedValue` attribute. Usually these two values are monotonously increasing with automatic assignment. When manually specifying the `uidNumber/gidNumber` when creating an object, however, this value could jump back to a lower value and previously used and now free values could be reused if necessary. This behavior has now been disabled. `univentionLastUsedValue` is now monotonously increasing (Bug 41109).
- User Templates now have access to the `alphanum` option (Bug 47580).
- It is now possible to define custom categories for the portal (Bug 47243).
- Allow to customize portal with an about page (Bug 43442).
- Searching for some UDM properties led to a traceback (Bug 47910).

6.5.6. Modules for system settings / setup wizard

 Feedback 


- The error messages for the join into an Active Directory domain have been improved (Bug 42430).
- A regression introduced while fixing Bug 42022 could cause an appliance setup to fail due to missing software components (Bug 47767).
- When setting up an UCS appliance to join into an existing UCS domain, the installation could fail due to a failure to reconfigure the network interfaces (Bug 47767).
- Adapt Univention System Setup to work with Firefox 60 (Bug 47808).

6.5.7. Domain join module

Feedback 


- Only try to download the host certificate for 10 minutes when joining a new system. Otherwise, mark the join as failed (Bug 30005).
- Fixed join failing when two MAC addresses are set on the computer object. Also, joining a host with multiple network interfaces now attaches them all to the computer object (Bug 47338).

6.5.8. System diagnostic module

Feedback 


- The ACL check for the Samba/AD SYSVOL files has been improved to show the name of missing files and directories (Bug 47583).
- A new diagnostic plugin has been added that scans through LDAP and finds objects that lack a `univentionObjectType` although they should have one. The plugin also allows to migrate those objects. Having a `univentionObjectType` allows for other services to use a convenient LDAP filter (Bug 47844).
- Improved logging of diagnostic module actions and the diagnostic checks are now executed in lexical order (Bug 47649).

6.5.9. Policies

Feedback 


- Log LDAP connections at log level `PROCESS` instead of `INFO` (Bug 48030).

6.5.10. Filesystem quota module

Feedback 


- Setting a user quota through a policy now works with journaled (`usrjquota`) quota as well (Bug 47764).

6.5.11. Other modules

Feedback 

- A widget for limited text input has been moved to the common library (Bug 48106).
- The Univention Directory Manager module flavors are requiring a minimal set of allowed UMC commands now to be visible in the UMC (Bug 47880).
- A regression in the `users/self` module regarding saving unset properties with default values has been addressed (Bug 48047).
- The scrolling in the UCS Virtual Machine Manager module has been improved (Bug 36624).
- The scrolling in the LDAP directory module has been improved (Bug 45598).
- The search filter generated for boolean and multi-value properties of UDM objects was not correct (Bug 40672).
- User Templates now have access to the `alphanumeric` option (Bug 47580).
- It is now possible to define custom categories for the portal (Bug 47243).
- The page now scrolls to the top when opening the detail page of an UDM object (Bug 39667).

6.6. Univention base libraries

Feedback 

- The function `umc_init` does not assume to find the LDAP group objects `cn=Domain Admins` and `cn=Domain Users` as direct children of the `cn=groups` container anymore. Instead it searches for them (or their localized equivalents, like *Domänen-Admins*) (Bug 38057).

Software deployment


- Check output from `slapschema` during registration of new schemas for errors (Bug 45571).
- The error messages for the join into an Active Directory domain have been improved (Bug 42430).
- The UDM module `settings/data` was added. It can be used to store arbitrary data in LDAP (Bug 47944).
- False warning message during App installation were removed (Bug 47931).
- LDAP ACLs for the portal category module have been fixed (Bug 48091).
- A spelling error in the English description for Univention Configuration Registry variable `ldap/debug/level` has been fixed (Bug 48102).
- Fix automatic renewal of Diffie-Hellman parameters for forward secrecy (Bug 47974).
- Adjust description of Univention Configuration Registry variable `ldap/database/mdb/envflags` (Bug 47869).
- It is now possible to define custom categories for the portal (Bug 47243).
- Allow to customize portal with static pages (Bug 43442).

6.7. Software deployment


Feedback 

- In case a Debian package update fails due to unmet dependencies `univention-updater` now logs a more useful error message (Bug 34444).

6.8. System services

Feedback 

6.8.1. PostgreSQL

Feedback 


- The rule for the PostgreSQL superuser has been moved to the beginning of `pg_hba.conf` to always grant access to that internal user. This is required for automatic maintenance and similar tasks (Bug 31081).
- The new Univention Configuration Registry variable `postgres9/pg_hba/config/*` allows for additional configuration options in the file `pg_hba.conf` (Bug 47276).

6.8.2. Docker

Feedback 


- `ifconfig` was missing in the UCS container. Also fixed parsing of the tool's output (Bug 46665).

6.8.3. SAML

Feedback 


- The Univention Directory Manager module flavors are requiring a minimal set of allowed UMC commands now to be visible in the UMC (Bug 47880).
- Enable `stunnel` to run on systems without `univention-saml` installed, like member server and slave domain controller servers. The `univention-saml` package was updated to create the required directories (Bug 47250).

6.8.4. Univention self service

Feedback 


- The join script now always updates the local database password (Bug 45531).

6.8.5. Mail services

Feedback 


- Remove ClamAV from AMaViS configuration if `clamav-daemon` is disabled via Univention Configuration Registry variable `clamav/daemon/autostart=no`. Without this change Postfix is unable to process incoming mails due to a non-working AMaViS (Bug 39372).

6.8.6. Dovecot

Feedback 


- When creating users, an SSL error occurred when uploading the initial Sieve script if the Dovecot server used an external SSL certificate from Let's Encrypt, for example. The new Univention Configuration Registry variable `mail/dovecot/sieve/client/server` can now be used to specify an external FQDN for the Sieve script upload that matches the external SSL certificate (Bug 41018).

6.8.7. Printing services

Feedback 


- Fix a traceback when querying for printer users (Bug 44434).
- The printer restrictions are reloaded after changes are made (Bug 43227).

6.8.8. Nagios

Feedback 


- The Nagios RAID check now uses the plugin `mdstat` (Bug 47319).

6.8.9. RADIUS

Feedback 


- From now on *univention-radius* adds a section `realm` in `proxy.conf` to allow RADIUS authentication with `DOMAIN\USERNAME`. The original `proxy.conf` is diverted to `proxy.conf.debian` and is included into the new `proxy.conf` (Bug 42535).
- A user's description attribute is now no longer modified if the module `ldap` has been activated manually (Bug 48105).

6.8.10. Proxy services

Feedback 


- Squid is now compiled with support for OpenSSL again. This feature was lost during the update to UCS 4.3-0 because Squid 3.5 requires an additional compile time option for this (Bug 47809).

6.8.11. SSL


Feedback 

- The cron job to revoke expired certificates now works properly again (Bug 47896).
- SSL host certificates are now also valid for DNS alias records (Bug 44469).
- The command `univention-certificate renew` does not revoke the old certificates anymore, so that they are still valid until they expire. Additionally, certificates can now get addressed by their serial numbers using the option `-id` (Bug 41013).

6.9. Virtualization

Feedback 


6.9.1. UCS Virtual Machine Manager (UVMM)

Feedback 


- Show a warning if the entered VNC password for a virtual machine exceeds a certain length (Bug 48106).

- Report IO errors in UMC frontend (Bug 22695).
- Drop corrupt cache files on errors (Bug 35761).
- Fix assignment of target device name for newly added disks (Bug 47956).
- Migration of virtual machines between incompatible CPUs can be prevented by setting the new Univention Configuration Registry variable `uvmm/vm/cpu/host-model` to either `missing` or `always`: This modifies the XML description to include a description for the CPU of the host system for running virtual machines. If a CPU description is present, UVMM will check the target host for compatibility. The migration is aborted if the target host's CPU is not compatible. Virtual machines must be restarted to activate pending changes. UVMM monitors running virtual machines for reboot events and restarts them automatically (Bug 21386).

6.10. Services for Windows


 Feedback 

6.10.1. Samba

 Feedback 


- Always set `map acl inherit = yes` for samba shares if NT ACLs and inherit ACLs are activated (Bug 47850).
- Ignore `netlogon_creds_cli.tdb` in `univention-samba4-backup` (Bug 46468).
- Changing the primary group of a user triggered an inconsistency in the DN SID component of the member attribute. In special situations `samba-tool dbcheck` was unable to fix this automatically (Bug 48054).
- Continue `samba-tool dbcheck --fix` even if a modification failed (Bug 48040).
- When joining a new Samba/AD DC, Samba replicates all LDAP partitions independently. Depending on timing the replication of the linked attribute `serverReference` could fail, if `CN=Configuration` gets replicated before the main domain partition. As a result DRS replication could fail (Bug 47441).

6.10.2. Univention S4 Connector

 Feedback 


- When performing an AD-Takeover out of an ad/member setup, the S4-Connector reported tracebacks due to missing NT password hashes in OpenLDAP (Bug 35540).
- Fix `sync_to_ucs` reject for DNS Start of Authority (SOA) records with trailing dot missing in the Name Server (NS) resource record (Bug 44104).
- An indentation bug in the mapping file of the S4-Connector has been fixed which triggered an error in cases where Univention Configuration Registry variable `connector/s4/mapping/dns/ignorelist` was unset or empty (Bug 44711).
- The group membership sync now correctly identifies `ucs_module_others` if defined in the mapping (Bug 47779).
- Renaming a container (only difference in upper and lower case) has been fixed (Bug 47374).
- When `password change on next login` had been activated for a user the S4-Connector removed `shadowMax` and `krb5PasswordEnd` and reset `shadowLastChange` to 0 when synchronizing changes back from Samba/AD to UDM/OpenLDAP. In an UCS@school specific UMC module this caused a display issue, where the next required password change was shown as `never` (Bug 47508, Bug 47595).
- The S4-Connector no longer updates the obsolete attribute `sambaPwdMustChange` (Bug 45282).

6.10.3. Univention Active Directory Connection

Feedback 

- The Connector now updates the AD attribute *userPrincipalName* if the UCS username is changed. This is enabled only for new installations. For old systems unset Univention Configuration Registry variable `connector/ad/mapping/sync/userPrincipalName` and restart the AD-Connector to sync *username* to *userPrincipalName* on subsequent object modifications (Bug 48153).
- `univention-adsearch` now accepts space separated attribute list as parameter (Bug 43189).
- Non-printable attributes in `univention-adsearch` are printed base64 encoded (Bug 48082).
- The special `cn=Subschema` object caused AD-Connector rejects (Bug 47396).
- The synchronization of the attribute *proxyAddress* may fail if is empty (Bug 46751).
- Fix AD to UCS password hash synchronization in cases where a custom `Domain Admin` account is configured for the AD connection (Bug 47069).
- The error messages for the join into an Active Directory domain have been improved (Bug 42430).
- Fix Kerberos authentication error during AD-Connector restart in AD/member mode in case of changed system time (Bug 48227).
- The synchronization of password hashes from AD to UCS has been fixed on systems that have Univention Configuration Registry variable `connector/ldap/server` set to a non-master server with read-only OpenLDAP (Bug 44024).
- The package *univention-ad-connector-exchange* did reset specific Univention Configuration Registry variable values to their default during the update. This has been adjusted to keep customer adjusted values untouched (Bug 47856).
- The tool `univention-adsearch` now also uses the file containing the full certificate chain instead of only the exported AD certificate alone (Bug 47858).
- Support SASL/GSSAPI in AD Connection setup scripts (to support integrity checking during binds) (Bug 47901).
- A traceback during the add of users in AD with telephone attributes has been fixed (Bug 47209).

6.11. Other changes

Feedback 

- Adapt to changes in *univention-directory-manager-modules* (Bug 47861).
- The machine account password is changed by default every 21 days. That check is by default performed nightly a 01:00 by a cron job. That point of time can now be configured through the new Univention Configuration Registry variable `server/password/cron` (Bug 47781).