



Release notes for the installation and update of Univention Corporate Server (UCS) 5.0-10

Release 5.0-10

Mar 11, 2025

The source of this document is licensed under GNU Affero General Public License v3.0 only.

CONTENTS

1	Release highlights	3
2	Notes about the update	5
2.1	Recommended update sequence for environments with more than one UCS system	5
2.2	UCS only available for 64 bit	5
3	Simultaneous operation of UCS and Debian on UEFI systems	7
4	Local package repository	9
5	Preparation of update	11
5.1	Python 3.7 compatibility	11
5.2	AD Connector mapping	11
5.3	Sufficient disk space	11
5.4	Console usage for update	11
5.5	Script to check for known update issues	12
6	Post processing of the update	13
7	Notes on selected packages	15
7.1	Collection of usage statistics	15
7.2	Recommended browsers for the access to Univention Management Console	15
8	Changelog	17
9	Bibliography	19
	Bibliography	21
	Index	23

Publication date of UCS 5.0-10: 2025-03-11

RELEASE HIGHLIGHTS

With Univention Corporate Server 5.0-10, the tenth patch level release for Univention Corporate Server (UCS) 5.0 is available. It provides several feature improvements and extensions, new properties, as well as, various improvements and bug fixes. Here is an overview of the most important changes:

- SecureBoot shim has been updated to include the Freexian public certificate. This certificate is used to sign the ELTS Linux kernel and other packages, ensuring seamless support for Secure Boot on Debian 10 (Buster) ELTS systems.
- The performance of the UDM module for groups has been improved to speed up modifications of very large groups.
- OpenID Connect support in UMC (front-channel logout, session handling) has been improved.
- OpenLDAP is now configured to use the `sortvals` option for the attributes `uniqueMember` and `memberUid`. This improves the performance when modifying user or groups in environments with groups with several thousand members. The attributes for the `sortvals` option can be configured via the Univention Configuration Registry Variable `ldap/server/sortvals`.
- UCS 5.0-10 includes various security updates, for example for **xorg-server**, **krb5**, **libxml2**, **emacs** and the **libtasn1-6**

NOTES ABOUT THE UPDATE

Run the update in a maintenance window, because some services in the domain may not be available temporarily. It's recommended that you test the update in a separate test environment before the actual update. The test environment must be identical to the production environment.

Depending on the system performance, network connection, and installed software, the update can take anywhere from 20 minutes to several hours. For large environments, consult *UCS performance guide* [1].

2.1 Recommended update sequence for environments with more than one UCS system

In environments with more than one UCS system, take the update sequence of the UCS systems into account.

The authoritative version of the LDAP directory service operates on the Primary Directory Node and replicates to all the remaining LDAP servers of the UCS domain. As changes to the LDAP schema can occur during release updates, you must always first update the Primary Directory Node during a release update.

2.2 UCS only available for 64 bit

UCS 5 is only available for the x86 64 bit architecture *amd64*. Existing 32 bit UCS systems can't update to UCS 5.

SIMULTANEOUS OPERATION OF UCS AND DEBIAN ON UEFI SYSTEMS

Please note that simultaneous operation of UCS and Debian GNU/Linux on a UEFI system starting with UCS 5.0 isn't supported.

The reason for this is the GRUB boot loader of Univention Corporate Server, which partly uses the same configuration files as Debian. An already installed Debian leads to the fact that UCS can't boot (anymore) after the installation of or an update to UCS 5.0. A subsequent installation of Debian results in UCS 5.0 not being able to boot. For more information, refer to [KB 17768](https://help.univention.com/t/17768)¹.

¹ <https://help.univention.com/t/17768>

LOCAL PACKAGE REPOSITORY

This section is relevant for environments with a [local repository](#)². The installed major version of UCS determines which packages a local repository provides. A repository running on a UCS server with version 4.x only provides packages up to UCS 4.x, a repository server running on UCS 5 only provides packages for UCS 5 and later.

To upgrade systems to UCS 5 in an environment with a local repository, consider the following options. First, you need to set up a local UCS 5 repository server.

- Install a new UCS 5 system as a Primary Directory Node from the DVD or from a virtualized base image. Then [setup a local repository on this system](#)³ as described in *Univention Corporate Server - Manual for users and administrators* [2].
- Install a new UCS 5 system with the system role Backup Directory Node, Replica Directory Node or Managed Node from the DVD or from a virtualized base image. In system setup, select that the system doesn't join a domain. Then [set up a local repository on this system](#)⁴ as described in *Univention Corporate Server - Manual for users and administrators* [2]. After you updated the Primary Directory Node used in the domain to UCS 5, the UCS 5 repository server can join the domain through **univention-join**.

To upgrade a system in the domain to UCS 5, first update the server to the latest package level available for UCS 4.x. Then switch the repository server used by the system to the local UCS 5 repository by changing the Univention Configuration Registry Variable `repository/online/server`⁵. You can now upgrade the system to UCS 5 through the Univention Management Console or through the command line.

² <https://docs.software-univention.de/manual/5.0/en/software/repository-server.html#software-create-repo>

³ <https://docs.software-univention.de/manual/5.0/en/software/repository-server.html#software-create-repo>

⁴ <https://docs.software-univention.de/manual/5.0/en/software/repository-server.html#software-create-repo>

⁵ <https://docs.software-univention.de/manual/5.0/en/appendix/variables.html#envvar-repository-online-server>

PREPARATION OF UPDATE

This section provides more information you need to consider before you update.

5.1 Python 3.7 compatibility

Before you update, verify manually crafted Python code for compatibility with Python 3.7 and adjust it accordingly. This includes Univention Configuration Registry templates containing Python code. Customized AD-Connector mapping templates are an example for this. For advice, see also the *Univention Developer Reference* [3].

5.2 AD Connector mapping

When you operate multiple instances of the **AD Connector** as described in *Synchronization of several Active Directory domains with one UCS directory service*⁶, you need to adjust the mapping configuration and ensure Python 3.7 compatibility before the update. *KB 17754*⁷ describes the steps.

5.3 Sufficient disk space

Also verify that you have sufficient disk space available for the update. A standard installation requires a minimum of 6-10 GB of disk space. The update requires approximately 1-2 GB additional disk space to download and install the packages, depending on the size of the existing installation.

5.4 Console usage for update

For the update, sign in on the system's local console as user `root`, and initiate the update there. Alternatively, you can conduct the update using Univention Management Console.

If you want or have to run the update over a network connection, ensure that the update continues in case of network disconnection. Network connection interrupts may cancel the update procedure that you initiated over a remote connection. An interrupted update procedure affects the system severely. To keep the update running even in case of an interrupted network connection, use tools such as **tmux**, **screen**, and **at**. All UCS system roles have these tools installed by default.

⁶ <https://docs.software-univention.de/ext-windows/5.0/en/index.html#ad-multiple>

⁷ <https://help.univention.com/t/17754>

5.5 Script to check for known update issues

Univention provides a script that checks for problems which would prevent the successful update of the system. You can download the script before the update and run it on the UCS system.

```
# download
$ curl -Oof https://updates.software-univention.de/download/univention-update-
↳checks/pre-update-checks-5.0-10{.gpg,}

# verify and run script
$ apt-key verify pre-update-checks-5.0-10{.gpg,} && bash pre-update-checks-5.0-10

...

Starting pre-update checks ...

Checking app_appliance ...           OK
Checking block_update_of_NT_DC ...   OK
Checking cyrus_integration ...        OK
Checking disk_space ...               OK
Checking hold_packages ...            OK
Checking ldap_connection ...          OK
Checking ldap_schema ...              OK
...
```


POST PROCESSING OF THE UPDATE

Following the update, you need to run new or updated join scripts. You can either use the UMC module *Domain join* or run the command **univention-run-join-scripts** as user `root`.

Subsequently, you need to restart the UCS system.

NOTES ON SELECTED PACKAGES

The following sections inform about some selected packages regarding the update.

7.1 Collection of usage statistics

When using the *UCS Core Edition*, UCS collects anonymous statistics on the use of Univention Management Console. The modules opened get logged to an instance of the web traffic analysis tool *Matomo*. Usage statistics enable Univention to better tailor the development of Univention Management Console to customer needs and carry out usability improvements.

You can verify the license status through the menu entry *License* ▶ *License information* of the user menu in the upper right corner of Univention Management Console. Your UCS system is a *UCS Core Edition* system, if the *License information* lists *UCS Core Edition* under *License type*.

UCS doesn't collect usage statistics, when you use an [Enterprise Subscription](#)⁸ license such as *UCS Base Subscription* or *UCS Standard Subscription*.

Independent of the license used, you can deactivate the usage statistics collection by setting the Univention Configuration Registry Variable `umc/web/piwik` to `false`.

7.2 Recommended browsers for the access to Univention Management Console

Univention Management Console uses numerous JavaScript and CSS functions to display the web interface. Your web browser needs to permit cookies. Univention Management Console requires one of the following browsers:

- Google Chrome as of version 85
- Mozilla Firefox as of version 78
- Apple Safari and Apple Safari Mobile as of version 13
- Microsoft Edge as of version 88

Users running older browsers may experience display or performance issues.

⁸ <https://www.univention.com/products/prices-and-subscriptions/>

CHANGELOG

You find the changes since UCS 5.0-8 in [Changelog for Univention Corporate Server \(UCS\) 5.0-10](https://docs.software-univention.de/changelog/5.0-10/en/index.html)⁹.

⁹ <https://docs.software-univention.de/changelog/5.0-10/en/index.html>

CHAPTER

NINE

BIBLIOGRAPHY

BIBLIOGRAPHY

- [1] *UCS performance guide*. Univention GmbH, 2021. URL: <https://docs.software-univention.de/ext-performance/5.0/en/>.
- [2] *Univention Corporate Server - Manual for users and administrators*. Univention GmbH, 2021. URL: <https://docs.software-univention.de/manual/5.0/en/>.
- [3] *Univention Developer Reference*. Univention GmbH, 2021. URL: <https://docs.software-univention.de/developer-reference/5.0/en/>.

INDEX

E

environment variable
 ldap/server/sortvals, 3
 repository/online/server, 9
 umc/web/piwik, 15

K

Knowledge Base
 KB 17754, 11
 KB 17768, 7

L

ldap/server/sortvals, 3

R

repository/online/server, 9

U

umc/web/piwik, 15