

Release 5.2-1

The source of this document is licensed under GNU Affero General Public License v3.0 only.

CONTENTS

1	Release highlights	3
2	Notes about the update 2.1 Recommended update sequence for environments with more than one UCS system	5
3	Simultaneous operation of UCS and Debian on UEFI systems	7
4	Preparation of update 4.1 Sufficient disk space	9 9 9
5	Post processing of the update	11
6	Notes on selected packages 6.1 Collection of usage statistics	13 13 13
7	Changelog	15
8	Bibliography	17
Bi	bliography	19
In	dex	21

Publication date of UCS 5.2-1: 2025-03-11

CONTENTS 1

2 CONTENTS

ONE

RELEASE HIGHLIGHTS

With Univention Corporate Server 5.2-1, the first patch level release for Univention Corporate Server 5.2 is available. It provides several feature improvements and extensions, properties, as well as, bug fixes. Here is an overview of the most important changes:

- The performance of univention-directory-manager-modules has been improved, enabling faster modifications of very large groups.
- Squid cache settings can now be manually configured for improved efficiency and performance.
- Univertion Corporate Server 5.2-1 includes various security updates, for example for openssh, BIND9, intel-microcode, Python 3.11, rsync, setuptools, and the Linux-6.1 kernel.
- Univention Corporate Server 5.2-1 fixes various bugs across multiple packages, including univention—directory—manager—modules, univention—appcenter, univention—keycloak, univention—updater, and univention—self—service, enhancing stability and reliability.

se 5.2-1			

TWO

NOTES ABOUT THE UPDATE

Run the update in a maintenance window, because some services in the domain may not be available temporarily. It's recommended that you test the update in a separate test environment before the actual update. The test environment must be identical to the production environment.

Depending on the system performance, network connection, and installed software, the update can take anywhere from 30 minutes to several hours. For large environments, consult *UCS performance guide* [1].

2.1 Recommended update sequence for environments with more than one UCS system

In environments with more than one UCS system, take the update sequence of the UCS systems into account.

The authoritative version of the LDAP directory service operates on the Primary Directory Node and replicates to all the remaining LDAP servers of the UCS domain. As changes to the LDAP schema can occur during release updates, the Primary Directory Node must always be the first system in the update order during a release update.

CHAPTER THREE

SIMULTANEOUS OPERATION OF UCS AND DEBIAN ON UEFI SYSTEMS

Please note that simultaneous operation of UCS and Debian GNU/Linux on a UEFI system starting with UCS 5.0 isn't supported.

The reason for this is the GRUB boot loader of Univention Corporate Server, which partly uses the same configuration files as Debian. An already installed Debian leads to the fact that UCS can't boot (anymore) after the installation of or an update to UCS 5.0. A subsequent installation of Debian results in UCS 5.0 not being able to boot. For more information, refer to KB 17768^{1} .

¹ https://help.univention.com/t/17768

ase 5.2-1			

PREPARATION OF UPDATE

This section provides more information you need to consider before you update.

4.1 Sufficient disk space

Also verify that you have sufficient disk space available for the update. A standard installation requires a minimum of 6-10 GB of disk space. The update requires approximately 1-2 GB additional disk space to download and install the packages, depending on the size of the existing installation.

4.2 Console usage for update

For the update, sign in on the system's local console as user root, and initiate the update there. Alternatively, you can conduct the update using Univention Management Console.

If you want or have to run the update over a network connection, ensure that the update continues in case of network disconnection. Network connection interrupts may cancel the update procedure that you initiated over a remote connection. An interrupted update procedure affects the system severely. To keep the update running even in case of an interrupted network connection, use tools such as **tmux**, **screen**, and **at**. All UCS system roles have these tools installed by default.

4.3 Script to check for known update issues

Univention provides a script that checks for problems which would prevent the successful update of the system. You can download the script before the update and run it on the UCS system.

```
# download
$ curl -00f https://updates.software-univention.de/download/univention-update-
→checks/pre-update-checks-5.2-1{.gpg,}
# verify and run script
$ apt-key verify pre-update-checks-5.2-1{.gpg,} && bash pre-update-checks-5.2-1
Starting pre-update checks ...
Checking app_appliance ...
                                                   OK
Checking block_update_of_NT_DC ...
                                                   OK
Checking cyrus_integration ...
                                                   OK
Checking disk_space ...
                                                   OK
Checking hold_packages ...
                                                   OK
Checking ldap_connection ...
                                                   OK
```

(continues on next page)

(continued from previous page)

Checking ldap_schema ... OK ...

FIVE

POST PROCESSING OF THE UPDATE

Following the update, you need to run new or updated join scripts. You can either use the UMC module *Domain join* or run the command **univention-run-join-scripts** as user root.

Subsequently, you need to restart the UCS system.

Please verify the PostgreSQL version on all UCS systems that updated to UCS 5.2. As UCS 5.2 ships Version 15 of PostgreSQL, updated systems may need migration from PostgreSQL 11. For the recommended migration steps, see KB 22162².

² https://help.univention.com/t/22162

NOTES ON SELECTED PACKAGES

The following sections inform about some selected packages regarding the update.

6.1 Collection of usage statistics

When using the *UCS Core Edition*, UCS collects anonymous statistics on the use of Univention Management Console. The modules opened get logged to an instance of the web traffic analysis tool *Matomo*. Usage statistics enable Univention to better tailor the development of Univention Management Console to customer needs and carry out usability improvements.

You can verify the license status through the menu entry *License information* of the user menu in the upper right corner of Univention Management Console. Your UCS system is a *UCS Core Edition* system, if the *License information* lists UCS Core Edition under *License type*.

UCS doesn't collect usage statistics, when you use an Enterprise Subscription³ license such as *UCS Base Subscription* or *UCS Standard Subscription*.

Independent of the license used, you can deactivate the usage statistics collection by setting the Univention Configuration Registry Variable umc/web/piwik to false.

6.2 Recommended browsers for the access to Univention Management Console

Univention Management Console uses numerous JavaScript and CSS functions to display the web interface. Your web browser needs to permit cookies. Univention Management Console requires one of the following browsers:

- Chrome as of version 131
- Firefox as of version 128
- Safari and Safari Mobile as of version 18
- Microsoft Edge as of version 128

Users running older browsers may experience display or performance issues.

³ https://www.univention.com/products/prices-and-subscriptions/

SEVEN

CHANGELOG

You find the changes since UCS 5.2-0 in Changelog for Univention Corporate Server (UCS) 5.2-14.

⁴ https://docs.software-univention.de/changelog/5.2-1/en/index.html

Release notes for the installation and update of Univention Corporate Server (UCS) 5.2-Release 5.2-1	-1,

EIGHT

BIBLIOGRAPHY

BIBLIOGRAPHY

[1]	UCS performance guide. Univention GmbH, 2021. URL: https://docs.software-univention.de/ext-perfo.5.2/en/.	ormance/

20 Bibliography

INDEX

```
E
environment variable
umc/web/piwik, 13

K
Knowledge Base
KB 17768,7
KB 22162,11

U
umc/web/piwik, 13
```