

UCS@school 5.2v7 Changelog

Release 5.2v7

Jul 06, 2026

The source of this document is licensed under [GNU Affero General Public License v3.0](#) only.

CONTENTS

1	UCS@school-Update	1
1.1	Release 5.2v7	1
1.2	General notes on the update	2
1.3	Update process	2
2	Changelog	3
2.1	Released on Jul 6, 2026	3
3	Indices	5
	Index	7

UCS@SCHOOL-UPDATE

This document contains the changelogs with the detailed change information for the update of UCS@school from version 5.2v6 to 5.2v7.

The change information for previous version jumps can be found at [the changelog overview page](#)¹.

1.1 Release 5.2v7

What's new?

- The UCS@school UMC modules can now identify users by their primary email address instead of their username, controlled by the new UCR variable `ucsschool/umc/show-email-instead-of-username` ([Bug #59515](#)²).

1.1.1 Showing the primary email address instead of the username

By default, the UCS@school UMC modules identify users by their username, for example Doe, John (jdoe). Environments that use the email address as the primary identifier for their users can now switch the displayed identifier by setting the new UCR variable `ucsschool/umc/show-email-instead-of-username`:

```
$ ucr set ucsschool/umc/show-email-instead-of-username=yes
```

When the variable is set, the affected views show the primary email address in place of the username, for example Doe, John (john.doe@example.com). Users without a primary email address keep being shown with their username.

The setting changes the user identifier in the following UCS@school UMC modules:

- *Passwords (students)* and *Passwords (teachers)*
- The class and workgroup modules (*Assign teachers*, *Assign classes*, *Edit/Administrate workgroups*)
- The school wizards (*Users (schools)*)
- Printer moderation module (*Moderate printers*)

Note

The UCR variable `ucsschool/umc/show-email-instead-of-username` is not fully supported in the Computer Room, Exam Mode, and Distribution modules and may show inconsistencies.

¹ <https://docs.software-univention.de/n/en/docs/ucsschool-changelog.html#ucsschool-changelog>

² https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

1.2 General notes on the update

During the update, services within the domain may fail. For this reason, the update should be performed within a maintenance window. It is generally recommended to install and test the update in a test environment first. The test environment should be identical to the production environment.

Please note that depending on the size of the UCS@school environment, this update may take longer than usual to complete.

1.3 Update process

Major updates for UCS@school are released in the Univention App Center as a standalone app update. Minor updates and bug fixes (errata for UCS@school) that do not require interaction with the administrator are released in the repository of the already released app version of UCS@school. The changelog documents that Univention issues with each UCS@school app version are then expanded accordingly with a new section that shows which packages were released at what time and which errors were fixed in the process.

CHANGELOG

2.1 Released on Jul 6, 2026

Source package *ucs-school-import-lusd* in version 2.0.4:

- The LUSD import configuration files no longer contain empty placeholder values for `school` and `user_role`. Previously, users using `include:by_role` with a configuration file derived from the shipped LUSD configs would see the import fail with “No ‘school’ was specified in the configuration”, because the include file’s empty strings overwrote the values passed on the command line. After upgrading, users must also remove `"school": ""` and `"user_role": ""` from any custom include files they maintain outside of `/usr/share/ucs-school-import-lusd/` ([Bug #59487³](#)).

Source package *ucs-school-lib* in version 15.3.0:

- Consistency checker robustness improvement: When running consistency check on a user DN the checker was raising a traceback when the LDAP object does not have the attribute `ucsschoolSchool` ([Bug #58521⁴](#)).
- `Display.user()` and `Display.user_ldap()` now show the primary email address instead of the username when the UCR variable `ucsschool/umc/show-email-instead-of-username` is set. Users without a primary email address keep showing their username. In addition, the user search filter now also matches the primary email address, so user lists can be filtered by mail address ([Bug #59515⁵](#)).

Source package *ucs-school-umc-common* in version 11.1.0:

- A new UCR variable `ucsschool/umc/show-email-instead-of-username` is added. If set, the grid views of the **UCS@school** UMC modules display the primary email address instead of the username. Additionally a shared style sheet is shipped that widens the MultiObjectSelect “add object” selection dialog uniformly across the **UCS@school** UMC modules ([Bug #59515⁶](#)).

Source package *ucs-school-umc-distribution* in version 19.2.0:

- The MultiObjectSelect “add object” selection dialog is now wider, via the shared style sheet of `ucs-school-umc-common` ([Bug #59515⁷](#)).

Source package *ucs-school-umc-exam* in version 12.1.0:

- In the recipients grid the school classes are now sorted language-aware (numeric, so ‘2a’ precedes ‘10a’) and a per-cell tooltip shows the full list ([Bug #59515⁸](#)).
- The MultiObjectSelect “add object” selection dialog is now wider, via the shared style sheet of `ucs-school-umc-common` ([Bug #59515⁹](#)).

Source package *ucs-school-umc-groups* in version 11.2.0:

³ https://forge.univention.org/bugzilla/show_bug.cgi?id=59487

⁴ https://forge.univention.org/bugzilla/show_bug.cgi?id=58521

⁵ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

⁶ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

⁷ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

⁸ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

⁹ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

- In the assign-classes grid the school classes are now grouped and sorted by school. Schools and classes are sorted language-aware (numeric, so ‘2a’ precedes ‘10a’) and a per-cell tooltip shows the same grouping with one school per line.

The user group modules now use single row selection so that only one group can be selected at a time.

The automatic search when changing the selected school can now be configured independently from the search when opening the module via the new `ucsschool/.../autosearch_on_change` UCR variables ([Bug #59515¹⁰](#)).

- The teacher grid now shows the primary email address instead of the username when the UCR variable `ucsschool/umc/show-email-instead-of-username` is set. The “add object” selection dialog is also wider now ([Bug #59515¹¹](#)).

Source package *ucs-school-umc-rooms* in version 18.1.0:

- The MultiObjectSelect “add object” selection dialog is now wider, via the shared style sheet of `ucs-school-umc-common` ([Bug #59515¹²](#)).

Source package *ucs-school-umc-users* in version 17.1.0:

- The “Name” column and search field in the password reset module are now labeled “User” and the search description has been clarified ([Bug #59515¹³](#)).
- The password module now fetches the primary email address so the user list can show it instead of the username when the UCR variable `ucsschool/umc/show-email-instead-of-username` is set ([Bug #59515¹⁴](#)).

Source package *ucs-school-umc-wizards* in version 14.0.0:

- The automatic search when changing the selected school can now be configured independently from the search when opening the module via the new `ucsschool/wizards/.../autosearch_on_change` UCR variables.

In the user grid the classes are now sorted language-aware (numeric, so ‘2a’ precedes ‘10a’) and a per-cell tooltip shows the full list ([Bug #59515¹⁵](#)).

- The user grid and the legal guardian / legal ward selection now show the primary email address instead of the username when the UCR variable `ucsschool/umc/show-email-instead-of-username` is set. The “add object” selection dialog is also wider now ([Bug #59515¹⁶](#)).

¹⁰ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

¹¹ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

¹² https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

¹³ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

¹⁴ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

¹⁵ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

¹⁶ https://forge.univention.org/bugzilla/show_bug.cgi?id=59515

INDICES

The genindex provides direct links to curated content topics.

INDEX

B

Bugzilla

Bug #58521, [3](#)

Bug #59487, [3](#)

Bug #59515, [1](#), [3](#), [4](#)